

# LUBRICANTS & PENETRANTS

#### PENETRATING OIL

| Part Number | Description  |  |
|-------------|--|--|
| 0190186     | A unique combination of ingredients that loosens rusted nuts, bolts,<br>and studs commonly found on mufflers, tailpipe fittings, brake cables,<br>lock mechanisms, pipe couplings and machine parts. Residual oil film<br>lubricates while corrosion inhibitors provide protection against subse-<br>quent corrosion.<br><b>UN-LOX</b> |  |

#### **OPEN GEAR & CHAIN LUBE**

| Part Number | Description  |     |
|-------------|--|-----|
| 0190356     | A black, viscous lubricant with excellent thixotropic, cohesive and adhesive qualities. Its ability to hold up under water makes it ideally suited for heavy duty outdoor use. Use on cranes, hoists, cables, chains & gears, drag lines, winches, rock crushing machinery, street cleaners and snow removal equipment.<br><b>SPRAYMATIC</b> | *** |

#### **PENETRATING LUBRICANT WITH TEFLON™**

| Part Number | Description  |    |
|-------------|--|----|
| 0190156     | Lasts longer than conventional lubricants. Withstands severe temper-<br>atures from -30°F to over 600°F. Prevents rust, corrosion, water<br>washout, sticking and freezing of rubber to metal. Stays put and with-<br>stands extreme pressure.<br>JEL-LUBE | S. |

#### DRY MOLY LUBE

| Part Number | Description  |  |
|-------------|--|--|
| 0190396     | Forms a thin, dry, nontransferable black coating. Reduces metal to metal contact on highly machined metal surfaces. Withstands water, oil, alkalis and most acids. Contains approximately 5% Molybdenum disulfide for superior anti-friction and anti-seize properties. Pressure stable from -40°F to 500°F. |  |



# LUBRICANTS & PENETRANTS

#### NONFLAMMABLE PENETRANT-MOISTURE PROOFER

| Part Number | Description  |  |
|-------------|--|--|
| 0190426     | Our advanced 4-N-1 aerosol combines the best penetration, lubrica-<br>tion, corrosion inhibition, and moisture-displacing compounds in a<br>nonflammable, nonozone depleting chlorinated solvent base. This ad-<br>vanced formulation is non- conductive for use on equipment while in<br>operation, saving money and improving safety. For use on wet electri-<br>cal systems, frozen nuts and bolts, mechanical linkages, brakes,<br>squeaking metal parts, stops tools and dies from rusting.<br><b>DE-MOIST 2000</b> |  |

#### DRY FILM TEFLON-LUBE

| Part Number | Description   |  |
|-------------|---|--|
| 0190216     | All purpose high temperature dry film lubricant contains PTFE, a nonoily chemically inert lubricant, will not attract dust and dirt. Unaffected by most solvents and chemicals. Use on metal, paper, wood, plastic, glass and rubber, acts as a release agent and helps to prevent dragging, sticking and binding. Heat resistant to 500°F. CHEM-LUBE |  |

#### **RED GREASE IN A CAN**

| Part Number | Description   |  |
|-------------|---|--|
| 0190226     | This multi-purpose lubricant sprays out of the can as a thin, red pene-<br>trating liquid which quickly turns into a thick grease. It withstands tem-<br>peratures of 500°F, and is water and acid resistant. Includes additives<br>for protection against oxidation and wear.<br><b>ENDURA</b> |  |

#### ANTI-SEIZE COMPOUND/RELEASE AGENT

| Part Number | Description  |  |
|-------------|--|--|
| 0190886     | Protects against corrosive elements, and extreme heat up to 2000°F. Use on boiler pipe, hydraulic fittings, bolts, dies, jibs, nuts, pulleys, propeller shafts and pneumatic hammers. Combines molybdenum disulfide and graphite in a petroleum base to lubricate and seal, resists water wash out. $6x1$ per case <b>ZICROM</b> |  |



# LUBRICANTS & PENETRANTS

#### FOOD GRADE SILICONE SPRAY

| Part Number | Description  |  |
|-------------|--|--|
| 0190196     | Forms a fast drying, water repellent, nonadherent surface coating.<br>Will not discolor or damage fabric, metal, rubber or plastic surfaces.<br>Lubricates, retards corrosion, reduces friction and makes everything<br>slide and glide easier. No greasy or oily film. Can be used as a mold<br>release agent for acrylics. Heat and freeze resistant.<br>SILK-IT |  |

#### DRILL AND TAPPING FLUID

| Part Number | Description  |   |
|-------------|--|---|
| 0190676     | Reduces heat caused by friction, helps prolong tool life. Lubricates<br>tool bits and washes away chips to aid in drilling, reaming, threading<br>and tapping of most metals. Leaves a temporary rust inhibitor on<br>tools and freshly cut metal surfaces.<br><b>METAL MASTER</b> | K |

#### WHITE LITHIUM GREASE

| Part Number | Description   |  |
|-------------|---|--|
| 0190476     | An exceptional nonstaining lubricant provides superior friction reduc-<br>tion and coating for the prevention of rust and corrosion, PFTE forti-<br>fied. Will not run, wash off or freeze.<br><b>PREMIUM WHITE</b> |  |

#### **BELT DRESSING**

| Part Number | Description  |  |
|-------------|--|--|
| 0190336     | Remains permanently tacky to provide efficient power transfer. Eases<br>strain on bearings, bushings and stops squealing. Will not harden,<br>glaze or crack belt material. Helps prevent deterioration.<br>HOLD |  |





### SOLVENTS, DEGREASERS & STRIPPERS

#### ENGINE DEGREASER-EMULSIFIABLE

| Part Number | Description   |  |
|-------------|---|--|
| 0190526     | Dissolves heavily embedded grease, oil, dirt and grime. Sprays on<br>then flushes away with water. Safe to use, harmless to metals. USDA<br>authorized.<br>CHEM-GON |  |

#### SOLVENT DEGREASER NON-CHLORINATED

| Part Number | Description   |  |
|-------------|---|--|
| 0190126     | Quick drying, nonconductive degreaser with high power cleaning ac-<br>tion. Penetrates through and removes grease, oil, tar, dirt, wax and<br>other industrial soils. Evaporates fast, leaves no residue. Safe to use<br>on most plastics and painted surfaces.<br><b>ENVIRO-SOLV</b> |  |

#### **CONTACT & CIRCUIT BOARD CLEANER**

| Part Number | Description  |  |
|-------------|--|--|
| 0190026     | Cleans dirt, grease, oil and moisture from printed circuits, precision<br>instruments, controls, switches, motors and film. Safe on plastics and<br>rubber. Nonconductive for safe cleaning of operating equipment.<br>Dries residue free. Nonflammable, odor free.<br>LEKTRIX 102 |  |

#### **BIODEGRADABLE SOLVENT DEGREASER-NATURAL CITRIC**

| Part Number | Description  |  |
|-------------|--|--|
| 0190946     | Highly concentrated all natural biodegradable solvent. Easily removes grease, oil and grime from metallic and nonmetallic surfaces. Nonconductive to 32,000 volts. <b>CITRI-SOLV</b> |  |
|             |  |  |



### SOLVENTS, DEGREASERS & STRIPPERS

#### DIELECTRIC SOLVENT

| Part Number | Description  |  |
|-------------|--|--|
| 0190036     | Highly concentrated solvent removes dirt, grease, oil and grime from<br>metallic and non metallic surfaces. Ideally suited for use on electric<br>motors. Nonflammable and nonconductive so it will not short motors,<br>generators, other electronic equipment. Nonconducting to 29,000<br>volts.<br>SAF-T-SOLV |  |

#### **FAST-ACTING PAINT REMOVER**

| Part Number | Description  |      |
|-------------|--|------|
| 0190466     | Dissolves and removes most paints, decals, varnishes and gasket<br>adhesives. Thickened formula clings to vertical and overhead sur-<br>faces to extend contact time. For use on metal and wood surfaces.<br>USDA authorized.<br>JEL-STRIP | Ares |

#### **GRAFFITI REMOVER**

| Part Number | Description  |  |
|-------------|--|--|
| 0190706     | A special blend of cleansers and solvents formulated to remove stub-<br>born marks such as spray paints, crayons, marking inks, road tar,<br>stencil inks and other solvent and oil based stains from nonporous<br>surfaces. Safe on Most painted surfaces.<br>VANDALISM REMOVER |  |

#### **GASKET REMOVER**

| Part Number | Description  |  |
|-------------|--|--|
| 0190776     | Quickly softens and lifts old deposits of gasket compounds, hardened<br>gasket debris and binders so that these soils can be easily scraped or<br>wiped away. Leaves no residue. New gaskets can be applied without<br>preparation.<br><b>E-Z LIFT</b> |  |





### SOLVENTS, DEGREASERS & STRIPPERS

#### **BRAKE CLEANER - ENVIRONMENTALLY SAFE**

| Part Number | Description  |  |
|-------------|--|--|
| 0190406     | Effectively removes asbestos, dust, oil, grease, brake fluid and other soils associated with brake parts. Stops disc brake squeal. Leaves no residue. Low toxicity, no chlorinated solvents, safe on rubber and plastic. Pleasant smell. <b>ENVIRO-BRAKE</b> |  |

#### **STARTING FLUID**

| Part Number | Description  |  |
|-------------|--|--|
| 0190686     | Quickly starts engines without excessive battery drain. Contains an<br>upper cylinder lubricant to aid in initial start. May be used on any in-<br>ternal combustion engine, diesel, marine, or automotive engines.<br>Noncorrosive.<br>STARTING FLUID |  |

#### **CARBURETOR & CHOKE CLEANER**

| Part Number | Description   |  |
|-------------|---|--|
| 0190606     | Instantly removes grease, gum, carbon, dirt, varnish and other soils<br>from the moving and sealing surfaces of engine carburetors. Fast dry-<br>ing, leaves no film to cause sticking. Cleans and frees automatic<br>chokes, linkages, manifold heat controls, and PVC valves. Harmless<br>to catalytic converters.<br><b>KLEENZ</b> |  |

#### **DE-ICER**

| Part Number | Description   |  |
|-------------|---|--|
| 0190436     | Removes ice, snow and frost from windshields, windows, headlights,<br>and thaws frozen door locks. Will not harm paint, metal, plexiglass or<br>rubber.<br>FROSTY |  |



## **CLEANERS**

#### **CARPET CLEANER & STAIN REMOVER**

| Part Number | Description  |  |
|-------------|--|--|
| 0190086     | Safely cleans high traffic areas on carpets. Removes grease, oil, lip-<br>stick, crayon, magic marker, blood, rust stains, dust and dirt. Deep<br>penetration action gets out tough spots and stains. Dries quickly. No<br>vacuuming required.<br><b>REMOVIT</b> |  |

#### **BATTERY CLEANER**

| Part Number | Description   |  |
|-------------|---|--|
| 0190316     | Penetrates, neutralizes and cleans accumulated dirt and corrosion on<br>batteries, terminals and cables. Formula contains color indicator that<br>appears red in the presence of acid, yellow when neutral. Minimizes<br>battery current leakage and prolongs battery life.<br><b>SCRUB</b> |  |

#### **TIRE & VINYL CLEANER & PROTECTOR**

| Part Number | Description   |  |
|-------------|---|--|
| 0190206     | Self cleaning foam cleans and shines all vinyl, rubber and synthetic<br>surfaces. Cures to a glossy protective shine in minutes with no buff-<br>ing. Repels dirt, salt and grime, protects against discoloration, oxida-<br>tion, and ozone deterioration. Product works best if original surface is<br>cleaned first.<br><b>GLISTEN</b> |  |

#### FOAMING CITRIC CLEANSER

| Part Number | Description   |  |
|-------------|---|--|
| 0190896     | Formulated to clean and degrease institutional and industrial equip-<br>ment. Pleasant deodorizing action utilizes a naturally occurring citrus<br>solvent. Nonflammable, contains no chlorinated solvents, petroleum<br>distillates, hydrocarbons or butylsolvents. 100% biodegradable. Rinse<br>all food surfaces with potable water before reuse.<br><b>FOAMY CITRIC</b> |  |





## CLEANERS

#### FOAMING CRT CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 0190176     | Makes plastic and glass cleaning easier and faster by leaving a pro-<br>tective coating that repels dirt, dust, finger smudges, scratches, and<br>water spots. Contains no abrasives, silicones or ammonia. Eliminates<br>static.<br>CLEAR VU |  |

#### ALL-PURPOSE CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 0190056     | Quick action, multi-surface cleaner. Powerful foaming action pene-<br>trates and dissolves smudges, film and dirt on any surface not<br>harmed by water alone. Easily wipes clean -no scrubbing or rinsing<br>necessary. USDA authorized.<br>HYDRO-SOLV |  |

#### **DISINFECTANT CLEANER (FOAMING QUAT-TYPE - EXCIDE)**

| Part Number | Description   |  |
|-------------|---|--|
| 0190796     | Cleans, disinfects, and deodorizes germ-laden surfaces in one easy<br>operation. For use in washrooms, bathrooms and food preparation ar-<br>eas. Kills staph, salmonella and pseudomonas, kills HIV. Leaves a<br>fresh clean fragrance. EPA listed.<br><b>EXCIDE</b> |  |

#### **STAINLESS STEEL CLEANER & POLISH**

| Part Number | Description   |  |
|-------------|---|--|
| 0190576     | Restores natural brilliance to stainless steel, chrome, silver, brass<br>and other bright metals. Leaves a protective coating which seals and<br>protects the surface from, fingerprints, corrosion, and surface deterio-<br>ration. Contains no abrasives to mar the appearance of finished<br>stainless steel. USDA authorized.<br>CHEM-SHEEN |  |



## AIR FRESHENERS

#### AIR FRESHENER DRY SPRAY

| Part Number | Scent        | Description   |  |
|-------------|--------------|---|--|
| 0190096     | Baby Fresh   | Finely atomized spray formulated to stay air-<br>borne, 100% of the fragrance is available in-  |  |
| 0190166     | Citrus Fresh | stantly to deodorize and freshen every cubic<br>inch in the room. The dry spray allows for de-<br>odorizing of carpeting, upholstery, and draper- |  |
| 0190106     | Fresh & New  | ies without wetting or staining.  |  |

#### ODOR NEUTRALIZERS FOR METERED UNITS

| Part Number | Scent        | Description   |   |  |
|-------------|--------------|---|---|--|
| 0190116     | Bayberry     | Unpleasant odors are hunted down and chem-<br>ically destroyed. Millions of tiny aerosol parti-   | ically destroyed. Millions of tiny aerosol parti- |  |
| 0190736     | Spring Rain  | cles are suspended with each metered spray.<br>One unit is recommended per 6,000 cubic feet<br>of space. <b>Use with metered dispensing</b> |   |  |
| 0190726     | Aut. Heather | unit: 8150997   | 3   |  |
| 0190546     | KleenBreeze  |   |   |  |
| 0190556     | Vanilla Plus |   |   |  |

#### FURNITURE POLISH

| Part Number | Description   |  |
|-------------|---|--|
| 0190066     | The ideal polish & cleaner for use on formica, metal, plastic and vinyl furniture. Also protects and polishes ceramic, enameled porcelain and wood surfaces. Polished surfaces resist finger smudges.<br>HI-SHEEN |  |

#### **GLASS & HARD SURFACE CLEANER**

| Part Number | Description  |  |
|-------------|--|--|
| 0190046     | Foaming formulation clings to vertical surfaces. Penetrates and dis-<br>solves grease, oil, dirt, and deposits. Does not streak or run. Cleans<br>windows, mirrors, windshields, and other smooth porous surfaces<br>such as chrome, stainless steel, ceramic tile, vinyl etc. NSFC autho-<br>rized.<br><b>NO-STREAK</b> |  |





## SPECIALTY

#### **SPRAY TRIM ADHESIVE**

| Part Number | Description  |  |
|-------------|--|--|
| 0190286     | A strong, clear drying adhesive for general purpose bonding of mate-<br>rials. A single coat to one surface gives temporary bond. A single<br>coat to both surfaces gives permanent bond. Remains waterproof<br>and flexible. Bonds Urethane foam, foam rubber, leather, paper, card-<br>board, cloth, mylar, foil acetate sheets, glass and certain plastics.<br><b>PERMA-STICK</b> |  |

#### PEELABLE PROTECTIVE COATING

| Part Number | Description  |  |
|-------------|--|--|
| 0190326     | Excellent all-weather protection for any surface. A durable, vinyl coat-<br>ing that protects metals and other surfaces against corrosion, rust,<br>acids, dust, moisture, and salt spray. Remains flexible at low temper-<br>atures.<br><b>VOLTON</b> |  |

#### **CEILING TILE RESTORER**

| Part Number        | Color              | Description   |  |
|--------------------|--------------------|---|--|
| 0210312<br>0210313 | White<br>Off-White | Restores dirty, water stained or smoke discolored tiles<br>to like new condition. Requires no surface preparation.<br>Dries quickly with no objectionable odor. Vertical valve<br>dispenses product readily and effortlessly with an up-<br>right spray.<br><b>CEILING TILE</b> |  |

#### **RTV GASKET MAKER**

| Part Number | Color | Description  |       |
|-------------|-------|--|-------|
| 0190876     | Blue  | Made of 100% silicone in a pressurized can that's  | 11,00 |
| 0190866     | Red   | easy to use and empties completely. No cartridge guns or messy squeeze tubes. Replaces a wide range    |       |
| 0190856     | Black | of cork, paper, asbestos, felt and metal gaskets. Low  |       |
| 0190916     | Clear | volatility, oxygen sensor safe. One 8 oz. Can provides 54 feet of even, consistent bead. 6x1 per case. |       |
| 0190906     | White |  |       |



## SPECIALTY

#### **GALVANIZING SPRAY**

| Part Number | Description  |  |
|-------------|--|--|
| 0190766     | Forms a chemical bond when applied to bare metal, which will protect<br>and preserve for years. Dries in a matter of minutes. Use to protect<br>steel and iron from corrosion. Can be painted over if desired. Made<br>with 96% pure zinc, giving a final finish equal to hot dip galvanize pro-<br>cesses.<br><b>METALIZE</b> |  |

#### HIGH SOLID MRO PAINTS

| Part Number | Color                | Description  |  |
|-------------|----------------------|--|--|
| 0210400     | Gloss White          | A superior, lead-free industrial coating for-  |  |
| 0210411     | Flat Black           | mulated for tough applications. Protects against rust, weather, oil, gasoline and        |  |
| 0210505     | Red Primer           | most corrosive chemicals. Resists abrasion   |  |
| 0210410     | Gloss Black          | and heat and withstands high humidity. Ex-<br>cellent for most types of wood and metals. |  |
| 0210506     | Gloss Safety Yellow  | colone for most types of wood and metals.  |  |
| 0210420     | Light Machinery Gray |  |  |
| 0210503     | Light Gray Primer    |  |  |
| 0210507     | Gloss Safety Blue    |  |  |

#### WASP & HORNET KILLER

| Part Number | Description  |    |
|-------------|--|----|
| 0190506     | This special formulation is designed to drop wasps, yellow jackets<br>and hornets instantly. When the wasps return to the nest, the product<br>continues to kill with residual action. Special nozzle concentrates a jet<br>spray that can be directed to insect nest areas up to 20 feet above<br>Ground. Dielectric breakdown voltage of 47,300 volts. EPA regis-<br>tered. <b>Case lots only</b><br>WASP & <b>HORNET KILLER III</b> | H, |

#### **CRAWLING INSECT KILLER**

| Part Number | Description   |  |
|-------------|---|--|
| 0190376     | Concentrated, premium insecticide spray that is highly effective<br>against flying and crawling insects. Especially effective against cock-<br>roaches, ants, waterbugs, silverfish, earwigs and spiders. USDA au-<br>thorized, EPA registered. <b>Case lots only</b><br><b>CRAWLING INSECT KILLER II</b> |  |





## SPECIALTY

#### FOAMING NON-ACID COIL CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 0190446     | No rinse coil cleaner cleans and deodorizes, eliminates the need for<br>high pressure sprayers or bulky tank sprayers. Dirt and lint wash<br>away with coil condensate. Sprays right side up or upside down.<br><b>COIL-KLEEN</b> |  |

#### UNDERCOAT

| Part Number | Description   |  |
|-------------|---|--|
| 0190926     | Premium Rubberized Undercoating is a corrosion inhibiting formula<br>that seals out moisture, deadens sound, prevents rust and will not<br>peel off. Applications include gutter sealer, concrete, tree wound<br>sealer, asphalt crack filler and more.<br><b>RUBBERIZE</b> |  |

#### **PREMOISTENED GRAFFITI & OVERSPRAY TOWELS**

| Part Number | Description  |  |
|-------------|--|--|
| 8320477     | The latest, most convenient innovation in combating graffiti. Powerful cleaning formula removes tough graffiti. Nontoxic, nonflammable, nonhazardous and biodegradable formula. Abrasive but nonscratching towels aid in cleaning. <b>WIPE-OUT</b> |  |

#### **INVERTED TIP LINE MARKING PAINT**

| Part Number | Color               | Description   |  |
|-------------|---------------------|---|--|
| 0210600     | Traffic Yellow      | Quality formulation combines the environmental ad-<br>vantage of being water based but not water soluble  |  |
| 0210601     | Traffic White       | so our high pigment solids will not wash away. Easy to apply, long lasting marker spray paint that contains no CFC's, methylene chloride, and less VOC sol- |  |
| 8150201     | Striping<br>Machine | vents. Vivid colors are ideal for any surface that re-<br>quires traffic control markings, from concrete or<br>blacktop to gravel or dirt.                  |  |





## STEAM & PRESSURE WASHER CLEANERS

#### PRESSURE WASHER CONCENTRATE

| Part Number | Description   |  |
|-------------|---|--|
| 814055      | A heavy duty product with a unique blend of wetting and emulsifying agents that provide superior abil-<br>ity to penetrate the toughest soils. Soils are held in suspension to prevent deposition. Rinsing is com-<br>plete, leaving a surface that is free from residue. USDA A-4. Dilute with 20 to 50 parts water.<br>Packaging: 55GL, 30GL, 5GL<br>IMPACT |  |

#### HEAVY DUTY STEAM CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 814032      | A caustic heavy duty solution designed for maximum emulsification of heavy grease, oil and old paint accumulations. The impact of high pressure and heat together with the chemical power of this highly concentrated cleaning liquid make even the most stubborn steam cleaning operations easier and faster. Not recommended for use on aluminum, galvanized or other reactive metals. USDA A-4, A-8. For steam cleaners that premix before going to coils, dilute with 20 parts water. For direct feed cleaners, dilute with 80 parts water. Packaging: 55GL, 30GL,5GL <b>TERGE OFF 32</b> |  |

#### NON-CAUSTIC STEAM CLEANER

| Part Number | Description  |  |
|-------------|--|--|
| 814031      | A concentrated liquid steam cleaner that is noncorrosive, nonfuming and safe for food processing ar-<br>eas. It was designed for indoor or outdoor use to remove grease, oil, grime, soil, dirt and sludge from<br>steel, aluminum and painted surfaces. USDA A-1. For steam cleaners that premix before going to<br>coils, dilute with 20 parts water. For direct feed cleaners, dilute with 80 parts water.<br>Packaging: 55GL, 30GL, 5GL<br><b>TERGE OFF 31</b> |  |





WATER SOLUABLE DEGREASERS

#### NON-BUTYL CLEANER DEGREASER

| Part Number | Description   |  |
|-------------|---|--|
| 814031      | Contains no butyl or other toxic solvents. ZORB-ALL cleans by spontaneous emulsion and prevents re-deposition of oily soils cleaning. Formulated to remove, emulsify and deodorize fats and greasy soil from all types of surfaces. USDA . Packaging: 55GL, 30GL, 5GL, 4X1GL,12X1QT <b>ZORB-ALL</b> |  |

#### HEAVY DUTY SOLVENT BASED CLEANER

| Part Number | Description  |  |
|-------------|--|--|
| 814084      | Concentrated high pH butyl cleaner for cleaning and degreasing. Use where extra high solvent action is required. For effective removal of grease, oils, fats, carbon, wax, tar and other stubborn soils. Safety and convenience are assured with this nonflammable, biodegradable, nonfuming, water-based solvent. USDA A-1. Dilutes up to 40 to 1 with water. Packaging: 55GL, 30GL, 5GL, 12x1QT ALL IN ONE |  |

#### MULTI-PURPOSE SOLVENT BASED DETERGENT

| Part Number | Description   |  |
|-------------|---|--|
| 814023      | Penetrates and breaks the "soil bond" between the last layer of soil and the surface-which acts as a barrier to most effective cleaning or degreasing operations. Safe-o-lene is a noncombustible, non-flammable, water-soluble solvent rust inhibited. Packaging: 55GL, 30GL, 15GL, 5GL SAF-O-LENE |  |





# SAFETY SOLVENTS & DEGREASERS

#### NATURAL INDUSTRIAL CITRUS SOLVENT

| Part Number | Description  |  |
|-------------|--|--|
| 817088      | Highly concentrated, all natural, organic biodegradable solvent/emul-<br>sifier blend that has multiple applications. Use for cleaning and<br>degreasing machinery, engines and concrete floors without the use of<br>ozone depleting or chlorinated solvents. Offers the power of the<br>toughest solvent cleaners without putting your personnel at risk.<br>Dilute 1 to 4 oz. per gallon of water depending on the amount of soil.<br>Packaging: 55GL, 30GL, 5GL, 12x1PT<br><b>CITRI-SOLV</b> |  |

#### COLD SOLVENT DEGREASER

| Part Number | Description  |  |
|-------------|--|--|
| 814010      | A powerful blend of high-flash solvents that quickly penetrates, dis-<br>solves and removes grease,oil and wax-like soils without harm to the<br>surface being cleaned. Does not contain carbon tetrachloride.<br>Noncorrosive, nonconductive solvent that makes grease and oil solu-<br>ble in water. Removes thick, heavily embedded grease, oil and grime<br>from automotive engines, fuselages, fifth wheels, machinery and<br>heavily accumulated grease from floors. USDA K-1. VOC compliant.<br>Packaging: 55GL,30GL, 5GL<br>CHEM-GON |  |

#### CIRCULATING PARTS SOLVENT

| Part Number | Description  |  |
|-------------|--|--|
| 814078      | Designed for use in re-circulating parts washers, air bubble agitators<br>and soak tank units. Safe on aluminum, brass, copper, iron, stainless<br>steel and other metals. Quick penetrating action removes grease, oil,<br>sludge and grime from parts. Easy on pump gaskets. Designed to be<br>long lasting, slow evaporating and re-energizing by dropping soil and<br>sludge to the bottom of tank. Packaging: 55GL, 30GL, 5GL<br><b>SOIL-GO</b> |  |

#### NON-CHLORINATED PARTS SOLVENT

| Part Number       | Description  |  |
|-------------------|--|--|
| 814092<br>8150730 | Contains a scientific blend of low volatile, high-flash and natural or-<br>ganic solvents. SOILEX is designed for use in re-circulating parts<br>washers, air bubble agitators and soak tank units. It is environmen-<br>tally safe, no CFCs and low VOCs improving air quality in the work<br>area. SOILEX can be disposed of with waste oil in accordance with<br>federal,state and local regulations. Packaging: 55GL, 30GL, 5GL<br><b>CIRCULATING PARTS TANK PART II 8150730</b><br><b>SOILEX</b> 814092 |  |





SAFETY SOLVENTS & DEGREASERS

#### NON-CHLORINATED SAFETY SOLVENT

| Part Number | Description   |  |
|-------------|---|--|
| 814091      | A blend of organic solvents designed to replace CFC's and HCFC's in<br>heavy duty cleaning of grease, oil, tar and wax. Works quickly and ef-<br>ficiently, blown dry with air or wiped dry it leaves no residue. Non-cor-<br>rosive and possesses a very high dielectric constant for electronic<br>cleaning applications. Water rinseable and completely biodegradable.<br>Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL<br>ENVIROTHANE |  |





#### NEUTRAL pH CONCENTRATED CITRUS CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 814022      | Contains no bio-stimulating phosphates, a prime source of pollution. A high-foaming neutral pH cleaner that contains a powerful natural citrus solvent to degrease and deodorize all washable surfaces. USDA A-1. up to 20 to 1 with water. Packaging: 55GL, 30GL, 5GL <b>ZERO-PHOS</b> |  |

#### MULTI-PURPOSE CLEANER DEGREASER

| Part Number | Description   |  |
|-------------|---|--|
| 814014      | Concentrated synthetic detergent containing a wide range of chemicals for maximum efficiency in at-<br>tacking all types of dirt and grime. In addition to use on floors, this detergent is also useful in cleaning<br>walls, counters, woodwork, blinds, porcelain, or any painted or commercially enameled wood or metal<br>surface without harm to hands. USDA A-1. Dilute at least 10 to 1 with water.<br>Packaging: 55GL, 30GL, 5GL, 4x1GL,12 QT<br>HYDRO-SOLV |  |

#### **ALUMINUM CLEANER & RENOVATOR**

| Part Number | Description  |  |
|-------------|--|--|
| 814003      | Super fast-acting, non-streaking liquid concentrate used to clean and restore unpainted aluminum and stainless steel surfaces where their luster has been lost due to buildup of road films and oxide films. Economical, dilutes with 20 to 100 parts water. Packaging: 55GL, 30GL, 15GL SUPER ANTHORIUM |  |

#### STAINLESS STEEL CLEANER & DESCALER

| Part Number | Description   |  |
|-------------|---|--|
| 814097      | A new metal brightener designed to remove heavy oxidation, corrosion and most films from stainless<br>steel and aluminum equipment. It will not damage paint, lettering or decals when used as directed. It<br>can be diluted from 1 part to 40 parts water, depending on condition of surface and air temperature.<br>Warmer temperatures permit a higher dilution rate. Packaging: 55GL, 30GL, 15GL, 5GL<br>TARTEEN |  |

#### SOLVENT DEGREASER

| Part Number | Description   |  |
|-------------|---|--|
| 814012      | A special blend of high-flash solvents that quickly penetrates, dissolves and removes grease, oil and wax-like soils without harm to the surface being cleaned. Dries at a controlled rate that will not cause condensation, yet leaves the surface film-free, non-conductive and safe for use. Contains no carbon tetrachloride. Packaging: 55GL, 30GL, 15 GL, 5GL <b>ELECTRATHANE</b> |  |









#### NON-CHLORINATED BRAKE PARTS CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 814093      | A biodegradable brake cleaning solvent that contains no CFCs or<br>HCFCs. User friendly pleasant fragrance. Removes grease,oil, brake<br>fluid, asbestos, dust and dirt from brake parts, plates, springs, shoes<br>and pads. Packaging: 55GL, 30GL, 5GL, 4X1GL<br>ENVIRO-BRAKE |  |

#### NON-CHLORINATED CARBURETOR CLEANER

| Part Number | Description  |  |
|-------------|--|--|
| 814048      | A blend of organic solvents designed to replace chlorofluorocarbons (CFC's) and Hydro chlorofluorocarbons (HCFC's) for softening and removing carbon, paints, engine varnish, oil, grease, sticky gums, and other soils found on engine parts and marine and automotive components. Non-corrosive and possesses a very high dielectric constant for electronic cleaning applications. Water rinseable and completely biodegradable. Packaging: 55GL, 30GL, 15GL, 5GL <b>KLEENZ</b> |  |

#### WINDSHIELD WASHER SOLVENT

| Part Number | Description   |  |
|-------------|---|--|
| 817004      | Windshield washer solvent concentrate is formulated to operate in subfreezing temperatures. Designed to be diluted with water for greater economy year round. VOC compliant.<br>Packaging: 55GL, 30GL, 5GL, 4x1GL<br>FROSTY |  |

#### DEISEL FUEL CONDITIONER

| Part Number | Description   |  |
|-------------|---|--|
| 813004      | A concentrated treatment which includes excellent flow and cetane<br>improvers. The flow improver modifies the fuel's wax crystals so that<br>low temperature flow and filter plugging problems are prevented. An<br>antioxident improves the stability and quality of the fuel during stor-<br>age. Gum dispersant keeps injectors and internal parts clean. Mois-<br>ture displacing corrosion inhibitors are used to protect from rust and<br>corrosion. For problem engines add 1 pint to each 20 gallons of die-<br>sel fuel. For bulk storage tanks add 1 gallon per 1000 gallons of die-<br>sel fuel. Packaging: 55GL, 30GL, 5GL, 4x1GL<br><b>POW'R-TEEN</b> |  |







# CLEANERS & DEGREASERS

#### DESCALER

| Part Number | Description   |  |
|-------------|---|--|
| 818027      | Fast-acting boiler and cooling tower descaler. Removes energy-rob-<br>bing deposits and restores units to maximum operating efficiency.<br>Dissolves rust and scale quickly, minimizing downtime, eliminating<br>time-consuming scraping. Corrosion inhibited.<br>Packaging: 55GL, 30GL, 5GL, 4X1GL<br>CHEM SCALE |  |

#### **CONCRETE REMOVER & DESCALER - CONCENTRATED**

| Part Number | Description  |  |
|-------------|--|--|
| 814039      | Used by construction companies, concrete plants, masonry contrac-<br>tors and ceramic tile contractors. Removes heavy mortar<br>incrustations from cement trucks, cement mixers, wheelbarrows,<br>metal equipment, shovels, brick, transit forms, etc. Twice as effective<br>as most muriatic acid cleaners. Removes deposits fast. Special inhib-<br>itors reduce attack on bare steel. Safe on most painted surfaces. Re-<br>moves corrosion. Economicalcan be diluted with up to 10 parts<br>water. Packaging: 55GL, 30GL, 15GL<br>CHEM-CRETE |  |

#### **CONCRETE REMOVER & DESCALER**

| Part Number | Description  |  |
|-------------|--|--|
| 814025      | A ready -to-use descaler which replaces muriatic acid. It is formu-<br>lated with special soil penetrants and wetting agents that help break<br>up and dissolve lime deposits, scale, rust, algae, stains, mineral sedi-<br>ments, and removes mortar, concrete and plaster without harm to<br>most metals, paints or finishes. Recommended for use in:<br>Industry: Descaling steam cleaners, metal cleaning.<br>Utility Co's: Descaling water and gas meters, pumps.<br>Concrete Plants: Removes cement from mixers & ready-mix trucks.<br>Construction: Removes mortar & plaster from window & door frames.<br>Shopping Malls: Decorative fountains, stains from concrete, terrazzo.<br>Food Service: Coffee urns, ice-making machines.<br>Building Maintenance: Ceramic tile, toilet bowls, encrusted glass.<br>Packaging: 55GL, 30GL, 15GL<br>CHEM-CRETE II |  |

#### DESCALER FOR FOOD PLANTS

| Part Number | Description   |  |
|-------------|---|--|
| 814007      | A fast-wetting acid cleaner in a dustless powder form. It is recom-<br>mended for removal of rust, protein scale and hard-water scale for<br>operations requiring safe and non-toxic acid operations. DRY ACID is<br>a safe replacement for hydrochloric and phosphoric acids. It is safe<br>on stainless steel, steel, iron, copper, brass and tin. DRY ACID is ef-<br>fectively inhibited to prevent corrosive attack of equipment and galva-<br>nized surfaces. Packaging: 400LB, 125LB, 50LB<br><b>DRY ACID</b> |  |







## CLEANERS & DEGREASERS

#### **CHANDELIER CLEANER**

| Part Number | Description   | 0 |
|-------------|---|---|
| 8170953     | Cleans and brightens all chandeliers without spotting or streaking.<br>Completely safe on finest crystal and all metal surfaces. Quick and<br>easy to use even on large and hard to reach fixtures.<br>Packaging: 55GL, 30GL, 15GL, 5GL<br><b>FIVE DIAMONDS</b> |   |

#### **GRANULAR ALL-PURPOSE CLEANER**

| Part Number | Description   |  |
|-------------|---|--|
| 814001      | A granulated product designed for cleaning concrete driveways, ga-<br>rages or any surface where grease has accumulated. It is manufac-<br>tured from the highest grade raw materials obtainable, and designed<br>to give the most efficient results possible. Penetrates and emulsifies<br>grease on all surfaces. It is free rinsing, and will leave no residue.<br>May also be used as a steam- cleaning compound.<br>Packaging: 325lb, 125lb, 50lb<br><b>ANTHOR G</b> |  |

#### **ULTRA HEAVY DUTY CLEANER**

| Part Number | Description  |  |
|-------------|--|--|
| 814088      | Highly concentrated for use in removal of severely encrusted soils. In-<br>stantly dissolves and emulsifies fats, waxes, grease and grime most<br>ordinary cleaners cannot remove. Excellent for use on hard metal<br>surfaces and porous surfaces such as concrete and brick.<br>Packaging: 55GL, 30GL<br>OXENE |  |

#### **BLANKET & ROLLER WASH**

| Part Number | Description  |  |
|-------------|--|--|
| 814037      | Ready to use. Safe, low toxicity. Contains no chlorinated hydrocarbon<br>solvents. Non-corrosive. Safe on aluminum, brass, copper, iron,<br>stainless and other metals. Low evaporation. Pleasant odor.<br>Packaging: 55GL, 30GL, 15GL, 5GL<br>SAF-T-PET-O |  |





CLEANERS & DEGREASERS

#### **GLASS CLEANER CONCENTRATE**

| Part Number | Description  |  |
|-------------|--|--|
| 817010      | Glass cleaner that leaves a bright, clean surface without any un-<br>wanted streaks. An effective hard surface cleaner and brightener safe<br>on ceramic, brass, chrome, stainless, porcelain, Lexan, acrylic, mar-<br>ble, enamel, vinyl surfaces. USDA C-1.<br>Packaging: 55GL, 30GL, 5GL, 4x1GL, 12QT<br><b>NO-STREAK</b> |  |

#### **AIR CONDITIONER COIL CLEANER - NON-ACID**

| Part Number | Description   |  |
|-------------|---|--|
| 832021      | A blend of high performance alkaline detergents, bonders and<br>penetrants designed for heavy duty degreasing, cleaning and bright-<br>ening of condenser and evaporator coils, fins, and other equipment<br>surfaces. Self rinsing with sufficient condensate.<br>Packaging: 55GL, 30GL, 5GL, 4X1GL<br><b>COIL KLEEN</b> |  |

#### **AIR CONDITIONER COIL & FILTER CLEANER**

| Part Number | Description   |  |
|-------------|---|--|
| 817058      | A blend of corrosion-inhibited acids, synthetic detergents, and super<br>wetting agents. Made especially for exterior cleaning of air condition-<br>ing, refrigeration and air handling systems of all types and sizes. Re-<br>moves corrosion, dirt, greasy soil, dust, lint and atmospheric deposits.<br>Cleans, brightens and renovates coils, filters, fins, condensers, elec-<br>tronic precipitators, fan blades. Improves heat transfer efficiency and<br>reduces energy consumption. Will not attack plastic, rubber, paint, tile<br>floors, asphalt roofing, carpeting. Non-flammable.<br>Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL<br><b>FREEZE</b> |  |

#### SOLID AIR CONDITIONER TREATMENT

| Part Number | Description   |  |
|-------------|---|--|
| 816018      | S•A•C•T consists of a special formulation of chemicals in a con-<br>trolled-dispersal tablet form. As the tablet dissolves, it prevents the<br>accumulation of rust, corrosion, sludge, airborne dust, and slime in<br>condensation pans and drains. One treatment will prevent conden-<br>sate drain stoppage and reduce odors from the pan for up to a month.<br>Easy to use, store, and handle. Regular use prevents overflow dam-<br>age and unnecessary maintenance repairs. Biodegradable and<br>non-flammable. Packaging: 24x1<br><b>SACTS</b> |  |







# CLEANERS & DEGREASERS

#### CHLORINATED MACHINE WARE WASHING COMPOUND

| Part Number | Description  |  |
|-------------|--|--|
| 817087      | A light yellow, alkaline, chlorinated liquid machine ware washing com-<br>pound. Provides soil-free pipelines, sparkling glasses, and stain-free<br>ware in water of up to 15 grain hardness when used at normal con-<br>centrations. Packaging: 55GL, 30GL, 15GL, 5GL<br><b>SIP</b> |  |

#### **OVEN CLEANER**

| Part Number | Description   |  |
|-------------|---|--|
| 814028      | A special formulation of biodegradable detergents and penetrants de-<br>signed to remove food fats, grease and carbon deposits from ovens,<br>ranges, deep fat fryers, filter hoods, and all other kitchen working sur-<br>faces. It is used where food is cooked or processed in restaurants,<br>hospital and school kitchens, meat and poultry processing plants, and<br>canneries. Safe for use in food preparation and processing plants and<br>contains corrosion inhibitors that reduce the risk of corrosion in areas<br>where water is used on unpainted metals. Non-flammable so it is not<br>necessary to cool down ovens or ranges before cleaning. Safe to use<br>near open flames. Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL<br><b>STRIPIT</b> |  |

#### **TAR & ASPHALT REMOVER**

| Part Number | Description   |  |
|-------------|---|--|
| 814024      | Removes crude oil sludge from storage tanks, fuel oil trucks and re-<br>lated equipment. Will dissolve most latex-base residues from tank<br>cars hauling liquid latex. Can be used to clean gluing and packaging<br>machinery. Excellent for cleaning engines and small parts. It contains<br>special rust inhibitors to protect parts and equipment from excessive<br>corrosion. It is designed for quick and easy removal of tar, asphalt,<br>road oil, grease and grime from all types of road equipment, vehicles,<br>storage tanks and machinery. Packaging: 55GL, 30GL, 15GL, 5GL<br><b>TAR SOLV</b> |  |

#### ASPHALT RELEASE COMPOUND

| Part Number | Description   |  |
|-------------|---|--|
| 817080      | Prevents asphalt buildup in truck beds and other paving equipment. A safe, water soluble, non-polluting, non combustible, anti-stick formula developed to replace the use of solvents, oils and diesel fuel. Non combustible. High lubricity. Non polluting -contains no petroleum dis-<br>tillates or chlorinated materials. 100% Biodegradable.<br>Packaging: 55GL, 30GL, 15GL, 5GL |  |







### TRUCK & CAR WASH PRODUCTS



#### **TRAILER & TRUCK WASH**

| Part Number | Description   |
|-------------|---|
| 814021      | A highly concentrated, heavy-duty liquid cleaner for washing trucks, buses, tankers and other trans-<br>portation equipment. It is designed to be safe for use on all surfaces common to those vehicles, such<br>as exposed aluminum, lexan, plexiglass, and enameled or lacquered surfaces.<br>Packaging: 55GL, 30GL, 15GL, 5GL<br><b>TRUCK FOAM</b> |

#### LIQUID CAR WASH WITH PROTECTIVE WAX

| Part Number | Description   |
|-------------|---|
| 817005      | A liquid car wash detergent that deposit's a protective wax coating to transportation vehicles exterior coatings. While cleaning the surface road soil and dirt, this product leaves a protective coating that inhibits future cleaning problems. If a vehicle is washed regularly every few weeks with WASH 'N SHINE, the wax will build up to the thickness of a paste wax. Packaging: 55GL, 30GL, 15GL, 5GL WASH-N-SHINE |

#### CONCENTRATED LIQUID CAR WASH

| Part Number | Description  |
|-------------|--|
| 8140193     | A concentrate of foaming synthetic detergents compounded especially for washing automobiles, buses, trucks, airplanes and other high-gloss surfaces. Contains special surfactants that will drain dry without streaking. Removes dirt, greasy soil and road films, but will not remove protective waxes or polishes. Packaging: 55GL, 30GL, 15GL, 5GL <b>AUTO FOAM</b> |





### FLOOR MAINTENANCE PRODUCTS

#### METALLIC INTERLOCK FLOOR FINISH

| Part Number | Description  |
|-------------|--|
| 832002      | An industrial/institutional grade, high-speed, buffable floor finish that produces a durable, high gloss, wet look finish. Formulated especially for heavily-trafficked floors where its superior resistance to black heel marking and scuffing results in far greater durability than you would get from ordinary waxes or finishes. Packaging: 55GL,30GL, 5GL, 4x1GL <b>YEAR ROUND</b> |

#### CONCRETE AND TERRAZZO SEALER

| Part Number | Description  |
|-------------|--|
| 817023      | A water based acrylic floor sealer allows the sealing of concrete and terrazzo floors quickly and eas-<br>ily. No odor or fumes when applying. Provides a stain resistant, slip resistant, and scuff-resistant<br>coating specially formulated for use on new or worn Terrazzo, as well as stone or masonry floors.<br>Packaging: 55GL, 30GL, 5GL, 4X1GL<br><b>POLY CRYL</b> |

#### FLOOR FINISH RESTORER

| Part Number | Description  |
|-------------|--|
| 817070      | A mop on or spray buff concentrated floor finish restorer. Renews the floor finish surface while repair-<br>ing scratches and marks. Extends the time between stripping cycles and leaves a film that can be<br>burnished to a "wet-look" shine. Dilute from 2 to 16 fl oz per gallon of water depending on floor condi-<br>tion. Packaging: 55GL, 30GL, 5GL, 4X1GL<br>CHEM-BUFF |

#### FLOOR STRIPPER/CLEANER WITH AMMONIA

| Part Number | Description  |
|-------------|--|
| 832003      | Heavy duty concentrated, ammoniated wax stripper formulated to thoroughly remove acrylic finishes, waxes and detergent-resistant floor systems. Easily penetrates multiple layers of floor finish holding them in a low-foam suspension for easy wet-vac removal. PICK-UP is free rinsing leaving no film to discolor floors. Dilute with 10 parts water. Packaging: 55GL, 30GL, 5GL, 4X1GL <b>PICK-UP</b> |





## FLOOR MAINTENANCE PRODUCTS

#### NON-AMMONIATED FLOOR & BASEBOARD STRIPPER

| Part Number | Description   |
|-------------|---|
| 832014      | Highly concentrated, powerful amine-based formula converts waxes and acrylic finishes into easily removed emulsions. Removes tough finish buildups generated by high speed burnishing and constant spray buffing. Unique jelled formula allows product to adhere to baseboards for easy removal of wax and finish build-up. For normal build-ups, dilute with 10 parts water. Packaging: 55GL, 30GL, 5GL, 4x1GL <b>STRIP-EZ</b> |

#### SELF POLISHING FLOOR FINISH

| Part Number | Description  |
|-------------|--|
| 817014      | Nylar is resistant to scuff, black heel marks and dirt pick-up. It dries to a crystal hard finish - yet it's slip resistant. Long lasting. Suitable for all surfaces - vinyl, rubber, linoleum, asphalt, vinyl asbestos, wood, terrazzo and cement. Will not dull or wash off when cleaned with soap or detergents. Readily strippable with Chem-Power PICK-UP. Packaging: 55GL, 30GL, 15GL, 5GL NYLAR |

#### **OIL-BASED DUST CONTROL**

| Part Number | Description   |  |
|-------------|---|--|
| 817074      | Controls dust on unsealed concrete or wood floors in industrial plants, factories, storage fa warehouses, garages, saw mills, readi-mix plants and body shops. Dust and dirt cling to floring contamination by airborne dust particles. Works as dust mop treatment. aging: 55GL, 30GL, 5GL, 4X1GL <b>DUSTEEN</b> |  |

#### **DUST CONTROL**

| Part Number | Description   |
|-------------|---|
| 816022      | Effectively controls dust on unsealed concrete, vinyl asbestos and linoleum floors, terrazzo, troweled concrete, or wood floors. Reduces dust and dirt and helps control contamination by airborne dust particles. Dust clings to surfaces for more effective cleaning. No oily residue reduces slip hazards. Does not contain silicone. Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL <b>DUST MAGNET</b> |

## BULK CHEMICALS





#### SPOT REMOVER & TRAFFIC LANE PRE-SPRAY

| Part Number | Description   |
|-------------|---|
| 832015      | A fast-drying solvent for removing difficult stains like oil, grease, and heavy accumulations in high-traffic areas. Makes extraction process easier and more efficient.<br>Packaging: 55GL, 30GL, 5GL, 4X1GL, 12QT<br><b>REMOVIT</b> |

#### **CARPET EXTRACTION & BONNET CLEANER**

| Part Number | Description   |
|-------------|---|
| 837004      | A highly concentrated blend of solvents and low-foam cleaning agents designed to remove the tough-<br>est soil from all types of carpets and upholstery. Contains optical brighteners and odor<br>counteractants. Packaging: 55GL, 30GL, 5GL, 4X1GL<br><b>FIBRE-KLEEN</b> |

#### **CARPET EXTRACTION CLEANER**

| Part Number | Description  |
|-------------|--|
| 837024      | Highly concentrated for economic use. Safe to use on all types of carpets and upholstery. Low foam for ease of use. Removes toughest soils. Packaging: 55GL, 30GL, 15GL, 5GL X-TRAXALL |

#### WOOL SAFE CARPET EXTRACTION

| Part Number | Description   |
|-------------|---|
| 837025      | Highly concentrated for economic use. Safe to use on all types of carpets and upholstery. Safe on imported wool. Low foam for ease of use. Removes toughest soils. Neutral pH. Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL FIBER-SAFE |

#### DRY FOAM CARPET SHAMPOO

| Part Number | Description  |  |
|-------------|--|--|
| 837001      | A powerful, concentrated, liquid carpet shampoo that cleans, deodorizes, brightens and prevents build-up of static electricity in carpets. LUSTRE-FOAM's formulation of wetting, cleaning and foaming agents produces a stable cleaning foam which will not soak into the carpet or rug that is being cleaned, and can be readily vacuumed. Contains residual soil-retarding agents that help prevent rapid resoiling of carpet after shampooing. Contains special optical brighteners to help restore original luster. Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL <b>LUSTRE FOAM</b> |  |





## CARPET MAINTENANCE PRODUCTS

#### **BONNET CLEANER**

| Part Number | Description  |
|-------------|--|
| 837006      | The ideal blend of concentrated solvents and fast drying low sudsing cleaning agents for bonnet cleaning of all carpet types. Allows the fast removal of surface soils in high-traffic areas with the benefit of being super-fast drying. Carpets can accept foot traffic almost immediately after cleaning. Dilute 6 to 8 oz per each gallon of water. Packaging: 55GL, 30GL, 5GL, 4X1GL QUIK-KLEEN |

#### **BIOLOGICAL SPOT REMOVER AND ODOR DIGESTER**

| Part Number | Description   |
|-------------|---|
| 817072      | Dissolves food-based spots caused by soda pop, chocolate and all other food based stains. Elimi-<br>nates malodors caused by pets, body fluids, blood, vomit, dampness and organic matter. Nonstaining<br>on carpets and upholstery. Dilute 1 to 1 with water. Packaging: 55GL, 30GL, 5GL, 4x1GL, 12QT<br><b>DEVOUR</b> |

#### SUPER CONCENTRATED DEFOAMER

| Part Number | Description  |
|-------------|--|
| 817067      | A fast-acting liquid defoamer that eliminates foaming caused by residues left in carpets. Quickly knocks down foam in recovery tanks. Add to the pick up tank at the rate of 2oz per gallon. Packaging: 55GL,30GL, 5GL, 4X1GL KNOCK-DOWN |







#### HEAVY DUTY LIQUID DEODORANT

| Part Number | Description   |
|-------------|---|
| 838011      | Effectively halts all odors. Excellent for removing smoke odors, odors from dumpsters and waste con-<br>tainers, stale beer and vomit odors. Dilute 1 to 2 oz per gallon of water.<br>Packaging: 55GL, 30GL, 5GL, 4X1GL, 12QT<br>DAWN TO DUSK |

#### ODOR COUNTERACTANT

| Part Number | Description  |
|-------------|--|
| 838012      | A highly concentrated water-soluble odor counteractant, not a mask or cover-up. Eliminates odors as-<br>sociated with mustiness, fire/smoke, soiled linens, vomit, urine and many others by turning the treated<br>surface into a continuously vaporizing wick. Surfactants enhance cleaning while the odor<br>counteractants neutralize malodor molecules leaving a pleasant grapefruit scent. Dilute 1 to 2 oz per<br>gallon of water. Packaging: 55GL, 30GL, 5GL, 4X1GL, 12QT<br>SAFARI |

#### **AIR FRESHENER BEADS**

| Part Number | Scent          | Description   |
|-------------|----------------|---|
| 832007      | Fresh 'n Clean | Air flow bags control odors in air circulating systems, garbage areas, vacuum clean-  |
| 832077      | Vanilla        | ers, cars, trucks, buses and pet areas. Very effective against smoke odor. Safe and easy to handle. Used bags can be thrown in plastic recycle bin as everything in the |
| 832078      | Potpourri      | package is environmentally friendly. Packaging: 1 bucket of 24  |
| 832079      | Orchard Spice  | AIR-FLO BEADS SCENTS  |
| 832080      | Sea Breeze     |   |

#### WATER-SOLUBLE DEODORANT

| Part Number | Description  |
|-------------|--|
| 817062      | Concentrated odor suppressor and deodorizer. Formulated to mask objectionable malodors in indus-<br>trial, institutional, sewage treatment plants and other areas where malodors occur. It exhibits a potent<br>cherry fragrance and yields low use concentrations. Effectively masks odors even at a dilution of<br>1:1000. Packaging: 55GL, 30GL, 5GL, 12X1QT<br>ODOR RX |





## ODOR CONTROL PRODUCTS

#### LEMON SCENTED ABSORBENT POWDER

| Part Number | Description   |
|-------------|---|
| 817082      | Instantly absorbs any liquid mess and transforms it into a manageable gel. Economically absorbs 60 times its own weight so a little goes a long way. SUPER-SORB is effective on urine, blood, vomit and oil. Packaging: 12X1QT, 6X1QT<br>SUPER-SORB |

#### **GRANULAR ODOR ABSORBENT**

| Part Number | Description   |
|-------------|---|
| 817076      | A dry, chemically-treated granular product for destroying both inorganic and organic malodors. It works scientifically by absorption, chemical reactivity and oxidation. This formula effectively counter-<br>acts bad odors caused by putrefaction, decay, decomposition or odorous gases. Recommended highly for hotels, restaurants, breweries, canneries, packing plants, slaughterhouses, dog kennels, sewage plants, composts, garbage trucks, rendering plants, garbage cans, processing plants, and any place where undesirable odors occur. Packaging: 325LB, 100LB, 50LB, 12XQT<br><b>RX GRANULES</b> |

#### SUPER PARA BLOCKS

| Part Number | Description   |
|-------------|---|
| 832063      | Made from pure, long lasting paradichlorobenzene that has been saturated with the finest liquid de-<br>odorants available. The perfect powerhouse for sewers, elevator shafts, dumpster areas, garbage<br>collection areas, water treatment facilities, etc. Unique mesh hanger, safe for easy hanging. Fights<br>odors up to 14 weeks. Packaging: 2 x 20LB per case<br>SUPER PARA BLOCKS |

## BULK CHEMICALS





#### LIVE BACTERIAL ENZYMES

| Part Number | Description   |
|-------------|---|
| 817071      | Contains a balance blend of nonpathogenic aerobic and acultative Anaerobic, high-enzyme produc-<br>ing bacteria, plus stabilizing and suspending agents. OZYME 2 breaks down and liquifies suspended<br>solids such as fats, proteins, carbohydrates, cellulose and greases that comprise the organic waste<br>accumulations found in drains and sewer lines. Packaging: 55GL,30GL, 5GL, 4x1GL,12 QT<br>OZYME 2 |

#### **GRANULATED BACTERIAL ENZYMES**

| Part Number | Description   |
|-------------|---|
| 81607       | Contains aerobic and anaerobic enzyme-producing bacteria to liquefy and digest sewage wastes and solids. Reduces offensive odor and will restore and revitalize septic tanks, cesspools, drain pipes, sewage systems and waste lagoons. USDA L-2. Packaging: 100LB, 50LB <b>OZYME 3</b> |

#### LIFT STATION CLEANER

| Part Number | Description   |
|-------------|---|
| 814030      | Formulated to be a fast breaking emulsification system possessing degreasing and detergent proper-<br>ties that eliminate grease balls and cleans the vertical surfaces of lift stations, wet wells, and similar<br>treatment facilities. Packaging: 55GL, 30GL, 5GL<br><b>POWER ORANGE</b> |

#### ALL NATURAL GREASE TRAP SOLVENT

| Part Number | Description  |
|-------------|--|
| 817088      | Works in 1 to 50 dilution to dissolve grease and slime. Lifts up grease and floats it away keeping grease traps maintenance free. 100% active, no chlorinates or petroleum distillates.<br>Packaging: 55GL,30GL, 5GL, 12PT<br>CITRI SOLV |





#### NON-ACID DRAIN OPENER

| Part Number | Description  |
|-------------|--|
| 838039      | Our new extra-strength drain opener blasts away the toughest clogs. Quickly dissolves grease, paper, rags, hair, soap,etc. Uniquely powerful 40% active formula works where others fail. Fresh lemon scent helps to cover up any odors that may result from product dissolving clogging matter. Harmless to plumbing and septic systems.<br><b>RAM EXTRA</b> |

#### **DISOLV-KTSK**

| Part Number | Description   |
|-------------|---|
| 8140184     | Alkaline mix that is safe for all types of lines, fittings, septic tanks and sewers. It is designed for drains 4 inches and larger for drain clearing and maintenance. Dissolv-Kstk dissolves food particles, cloth, foliage, grease, oils, paper, roots and other organic obstructions. Nonflammable, Non-Explosive. Controlled Heat and Tracer Dye. Packaging: 125LB, 50LB <b>DISOLV-KTSK</b> |

#### **DISOLV-L**

| Part Number | Description   |
|-------------|---|
| 8140177     | Works immediately to safely dissolve common organic stoppages such as grease, sanitary napkins, coffee grounds, soap, paper, cloths, lint, cigarette butts and petroleum greases. Dissolv-L will not harm pipes. It does not deteriorate copper, steel or PVC pipes and fittings or rubber hardware within the system. Packaging: 12xQT <b>DISOLV-L</b> |

#### UNCLOG

| Part Number | Description   |
|-------------|---|
| 817013      | A unique acid drain opener with a solvent odor blanket. The sulfuric acid in the product exothermi-<br>cally dissolves food residue, cloth, soap, paper, sanitary napkins, hair, tea bags, coffee grounds and<br>other organic obstructions. The solvents in the Odor Blanket act as a "catalyst chaser" to clear away<br>substances such as Styrofoam and similar polymeric material that sulfuric acid alone will not dissolve.<br>Packaging: 12xQT<br>UNCLOG |





#### **GEL TYPE BOWL CLEANER-ACID**

| Part Number | Description   |
|-------------|---|
| 832011      | Removes organic encrustation, stubborn stains, lime, scale and corrosion films. Thickened acid cleaner designed to 'cling' to the surfaces makes this formula far superior to the watery types which run off and are wasted before stains are removed. Packaging: 5GL, 4x1GL,12x1QT <b>NOCK OUT</b> |

#### **GEL TYPE BOWL CLEANER-NONACID**

| Part Number | Description  |
|-------------|--|
| 832020      | A blend of high-performance alkaline detergents and penetrants designed to remove tough stains from grout, porcelain, stainless steel, ceramics, and other hard nonporous surfaces. Ideal for removing soap scum and light scale. Safe on marble. Packaging: 5GL, 4x1GL, 12x1QT<br>NOCK OUT-NA |

#### TILE AND GROUT CLEANER

| Part Number | Description   |  |
|-------------|---|--|
| 817008      | A unique blend of safe acids and cleaners restores luster and brightness to shower stalls, bathroom tile, grout, drinking fountains, glass, bathtubs, sinks, toilet bowls, urinals, quarry tile, chrome, brass, stainless steel, etc. Removes hard water stains, lime deposits, soap film, body oils, rust stains, Mildew, oxidation corrosion, etc. CHEM-QUICK is the total bathroom renovator and maintainer. USDA A-3. Dilute with up to 5 parts of water for regular use. Packaging: 55GL, 30GL, 5GL, 12X1QT CHEM-QUICK |  |

#### CONCENTRATED DEODORANT CLEANER

| Part Number | Description  |
|-------------|--|
| 817075      | Cleans and deodorizes in one step, leaving a pleasant mint fragrance in treated areas. CHEM-MINT is ideal for use in schools, hotels, restaurants, offices, industrial buildings, nursing homes and public rest rooms. Dilute with up to 15 parts water. Packaging: 55GL, 30GL, 5GL, 4X1GL CHEM-MINT |

#### NON-ACID TUB & TILE CLEANER

| Part Number | Description   |
|-------------|---|
| 832019      | Alkaline detergents cling to vertical surfaces for more effective cleaning. Removes soap scum, body oils and hard water mineral buildups. Safe for all porcelain, fiberglass and bright work. Packaging: 5GL, 4X1GL,12xQT TNT |





## BATHROOM MAINTENANCE PRODUCTS

#### URINAL SCREENS WITH JUMBO BLUE ENZYME DEODORANT BLOCK

| Part Number | Description  |  |  |
|-------------|--|--|--|
| 832066      | Safe, non-para soap based block cleans and deodorizes around the clock with natural enzyme ac-<br>tion. Screens are made from high quality flexible virgin plastic, holds block out of water for extended<br>block life. Enzymes digest organic odor sources and help keep pipes free of organic debris. Costs far<br>less than two 30 day blocks. Longer lasting means reduced labor cost. Lasts up to 75 days.<br>Packaging: 6 X 8 oz blocks |  |  |

#### TOILET BOWL RIM CAGE

| Part Number | Description  |  |
|-------------|--|--|
| 8320086     | Fits over the rim of most toilets. Built in foaming action. Each flush leaves a blue color. Lasts up to 30 days. Packaging: 12 cages<br>FRESH TOILET |  |







#### **ABSORBENT PADS**

| Part Number | Description   |
|-------------|---|
| 817054      | For maximum absorption at the fastest fastest possible rate. Each pad absorbs up to 25 times its own weight. Meltblown weight. Meltblown 8 Polypropylene c composition. Packaging: 1 BALE = 100 pads (17"x19"x3/8")<br>ABSORBENT PADS |

#### INDUSTRIAL ABSORBENT FOR LIQUIDS

| Part Number | Description   |
|-------------|---|
| 817029      | Contains, controls and picks up unwanted liquid spills, and removes sheen from floors, work sur-<br>faces, driveways, etc. It is made from 100% reclaimed cellulose fiber and absorbs liquids ranging<br>from oil and solvents to water and non-aggressive chemicals on contact. Through capillary action, the<br>absorbed liquid is locked into the cellulose fiber, preventing leaching and handling problems common<br>with clay and diatomaceous earth (DE). Our cellulose fibers contain no respirable crystalline silica<br>dust (a known cause of silicosis and a probably carcinogen) which is common with most mineral sor-<br>bets. Ideal for consumer, commercial and industrial users. SPILL-SORB is the preferred alternative to<br>clay and diatomaceous earth! Packaging: 25 x 20LB<br><b>SPILL SORB</b> |

#### **INDUSTRIAL ABSORBENT**

| Part Number | Description  |  |
|-------------|--|--|
| 8170284     | A homogeneous material containing no sawdust to leave a dusty residue. It will soak up all kinds of liquids including oil, water, grease, coffee, paint any spilled liquid that could cause dangerous slippery areas in plants, factories, warehouses, stores, schools any area. Sponge-All absorbs 125% of its own weight of oil, grease, water, acid, etc. Recommended wherever greasy, oily floors are to be protected and cleaned. Packaging: 500LB, 100LB <b>SPONGE ALL</b> |  |



## **MISCELLANEOUS**

#### HEAVY DUTY TIRE SEALANT

| Part Number | Description  |  |
|-------------|--|--|
| 817096      | Multi-Seal tire sealant is the premium tire sealant for use in heavy in-<br>dustrial tires. When properly installed into tires, Multi-Seal will seal<br>punctures up to 1/2" in diameter, seal bead, rim, and other slow<br>leaks, and reduce flats by 70-90%. Product is water soluble for<br>quick/easy installation, clean up and removal. Tires treated with<br>Multi-Seal remain completely repairable and retreadable. Applica-<br>tions: Backhoes, skid loaders, road graders, cranes, tractors, sanita-<br>tion trucks, concrete trucks, heavy farm trucks and dump trucks.<br>Packaging: 5GL<br><b>MULTI-SEAL</b> |  |

#### **GEAR OIL - EXTREME PRESSURE**

| Part Number | Weight  | Description   |  |
|-------------|---------|---|--|
| 813001      | SAE 80  | A versatile gear lubricant that lasts longer. Gears re-   |  |
| 813002      | SAE 90  | main lubricated at all times to eliminate dry starts and  |  |
| 813003      | SAE 140 | marginal lubrications. Lubricates without high speed<br>and heavy splashing. Anti-foaming properties. Does<br>not mix with moisture coming into gear box. Rust and<br>corrosion inhibitors. Maximum lubrication at high or<br>low temperatures. Contains no lead or chlorine to<br>damage rubber seals. Packaging: 55GL, 30GL, 5GL<br>SUPER GYROL |  |

#### **BUG BAND INSECT REPELLENT**

| Part Number | Description   |  |
|-------------|---|--|
| 816060      | Geraniol, a product that is patented by the University of Florida, has<br>been proven to be the best flying insect repellent available. It is a nat-<br>ural, pesticide free product which requires no EPA registration and is<br>environmentally safe. Geraniol has proven to be 100% more effective<br>than products like Citronella and more effective than products con-<br>taining 10% Deet. Geraniol has been proven effective in repelling<br>mosquitoes, house flies, stable flies, horn flies, head lice, cock-<br>roaches, fire ants, gnats, dog ticks, star ticks and no-see-ums. Wrist<br>bands are an ideal way to dispense the Geraniol insect repellent va-<br>pors for outdoor activiites such as landscaping, lawn work, road work,<br>or many other activities. Wristband has an active life of up to 120<br>hours which can be preserved if it is stored between uses. Won't<br>rinse off with water or perspiration like other repellents. Vapors from<br>the wristband form a protective shield around the immediate area,<br>keeping blood sucking insects a safe distance away. Designed with a<br>patented "break away" strap that snaps if the band is entangled and<br>pulls on the persons arm. Packaged in an innovative reusable plastic<br>"pot" which can be used to store the wristband between uses. Band<br>can also be worn on belt loops, hatbands, or applied to other areas<br>where insects could be a problem. Recyclable - simply dispose of the<br>band and the pot with your plastic recyclable containers.<br>Packaging: Bucket of 12 Bands, Box of 50 wipes. |  |

## BULK CHEMICALS



## SNOW & ICE PRODUCTS

#### **SNOW & ICE MELTER**

| Part Number | Description   |
|-------------|---|
| 817022      | A naturally occurring material in pellet form that gives off heat as it dissolves. Penetrates snow and ice layers faster and at lower temperatures (-25° F) will not chemically attack concrete walkways. De-Ice does not leave a powdery white residue to track in on floors and Carpets. Packed in convenient 50 LB plastic lined fiber containers. <b>DE-ICE PELLETS</b> |

#### LIQUID ICE MELT & ROCK SALT ENHANCER

| Part Number | Description   |
|-------------|---|
| 816090      | CHEM-THAW is a powerful deicer that will react immediately with rock salt to create a salt brine, which will enhance the entire process of deicing pavements and roadways. It significantly increases the effectiveness of rock salt to temperatures up to -40° F. CHEM-THAW will reduce waste due to "bounce and scatter" when untreated salt is spread and it will extend the melting time of rock salt and prevent refreezing for several hours resulting in a substantial savings in use of rock salt and reducing labor costs by achieving bare pavement conditions with less deicer per road mile and fewer repeat spreading runs. CHEM-THAW will not harm concrete, vegetation or Asphalt when added to aggregates. Packaging: 55GL, 30GL, 15GL, 5GL |





#### NON-MELT GREASE

| Part Number | Description   |
|-------------|---|
| 812020      | Lithium all-purpose, nonmelt grease specially formulated with extreme pressure and anti-wear addi-<br>tives to provide heavy duty service. This product has excellent adhesive and cohesive properties. It<br>resists most acids, weather, dirt, salt spray, steam and oxidation. It is one of the very few greases<br>that is able to withstand heavy shock load and impact pressures of 65 Timken load capabilities.<br>USDA H-2. NLGI Grade 2. For use with mini lube dispenser 8150800.<br>Packaging: 120LB, 45LB, 48TB, 12TB, 6X7# CAN<br>CARDINAL RED |

LUBRICANTS

#### **MULTI PURPOSE BARIUM GREASE**

| Part Number | Description   |
|-------------|---|
| 812007      | Possesses excellent water and heat resistance and is specially compounded to remain stable in se-<br>vere working conditions. Its unusual tenacity makes it highly effective as a corrosion preventative,<br>and tests indicate its superior quality as a bearing lubricant. Its multi-purpose feature makes it the<br>most outstanding fibrous lubricant available. It "stays put", cushions shock loads, and does not "thin"<br>under tough operation conditions. It binds to metal surfaces to provide continuous lubrication and pro-<br>tection and through its cohesive action, strings out into long fibers of grease that pass from gear to<br>gear, continuously renewing the lubrication action and resisting "squeeze out" or bleed on open gear<br>drives. Packaging: 120LB, 50LB, 10LB.<br><b>BARIUM HI-TEMP</b> |

#### WHITE LITHIUM GREASE

| Part Number | Description  |
|-------------|--|
| 812005      | A clean, pure, white grease for food equipment and machinery lubrication in meat and poultry pro-<br>cessing plants, canneries, citrus houses, bakeries, dairies, bottling plants, kitchensanywhere a<br>clean and non-toxic grease is needed. In addition to its excellent lubricating properties, this<br>food-grade grease contains an anti-wear agent to prevent friction destruction of metallic surfaces, as<br>well as oxidation inhibitors to prevent the formation of corrosive or contaminating materials. Resists<br>water, and will not run off under the wettest conditions. Packaging: 120LB, 45LB, 48 tubes, 12 tubes<br><b>PREMIUM WHITE</b> |

#### ALUMINUM COMPLEX GREASE

| Part Number | Description   |
|-------------|---|
| 812006      | Developed to satisfy the most exacting industrial and automotive applicationsparticularly in the area of heat and extreme pressure requirements. Excellent for sleeve bearings, ball joints, and gear drives, and is an outstanding universal joint grease. As a fifth-wheel grease, it withstands high pressures and shock loads, and is resistant to water washout, and guarantees continuous protection against all weather conditions. For use in high-temperature industrial applications, such as chain drives, sleeve bearings, conveyor bearings, etc. Packaging: 120LB, 35LB, 10LB <b>MULTI LUBE</b> |







#### MOLY-LITH MULTI PURPOSE GREASE

| Part Number | Description   |
|-------------|---|
| 812004      | P Moly Lubricant is formulated to replace almost all single-purpose greases. It contains molybdenum di-sulfide in a lithium base, and is effective in cold and heat conditions up to 250 F. It increases performance and extends equipment life under most conditions. Gives outstanding low-friction performance and exceptional chemical and mechanical stability under high loadings, shock and vibration. Withstands extreme pressures and temperatures. Clings to metal and does not run off. REGAL PLP is an outstanding all-weather lubricant for both indoor and outdoor use. Use in plain and anti-friction bearings, universal joints, sleeve bearings, slides, water pumps, drive shafts, splines, grease cups, chains, conveyors, chassis, etc. Packaging: 120LB, 35LB, 48 tubes, 12 tubes <b>REGAL PLP</b> |

#### SILICONE LUBRICANT

| Part Number | Description   |
|-------------|---|
| 817001      | Stops sticking of drawers, windows, doors and locks. Eliminates annoying squeaks in hinges, latches, springs, etc. Stops car doors, locks and trunk moldings from sticking. Retards corrosion—protects battery terminals, tools, guns and doors, etc. Waterproofs ignition systems and spark plugs. Helps prevent grass, dirt and mud from sticking to lawn mowers. Use on any surface—metal, glass, rubber plastic, painted finishes and fabrics. Packaging: 55GL, 30GL, 15GL, 5GL <b>SLIKIT</b> |

#### **DRILL AND TAPPING FLUID - WATER SOLUABLE**

| Part Number | Description   |
|-------------|---|
| 811016      | Excellent lubricity provides smooth finishes and good tool life. Excellent non-ferrous corrosion control.<br>Rust inhibitors prevent in- process rust on machines and parts. Excellent rancidity control ensures<br>long fluid life and minimizes the use of additives. Nitrate and silicone free.<br>Packaging: 55GL, 30GL, 15GL, 5GL<br>METAL MASTER KOOL KUT |

#### DRILL AND TAPPING FLUID - HEAVY DUTY

| Part Number | Description   |
|-------------|---|
| 811020      | Metal Master Drilling and Tapping Fluid is a new heavy-duty metal coolant and lubricant for drilling, tapping and threading operations, ideal for tough alloys. Can be used safely on all metals. Contains a combination of special heat absorbers that prevent friction and the consequent build-up of temperatures at the tool-metal interface. Tools last longer and precision cutting is made easier. Packaging: 55GL, 30GL, 15GL, 5GL <b>METAL MASTER DRILLING &amp; TAPPING FLUID</b> |

#### **PENETRATING OIL & RUST RELEASE AGENT**

| Part Number | Description   |
|-------------|---|
| 813013      | A unique formulation that substantially reduces surface tension, permitting rapid, deep penetration of rusted or corroded parts. Penetrates, frees and cleans rusted parts. Loosens rusted nuts, bolts and studs commonly found on mufflers, tailpipe fittings, brake cables, lock mechanisms, speedometers, conveyors and wheels. Provides a residual oil film for lubrication and protection against corrosion. Also used as a cutting oil for pipe threading, etc. Packaging: 55GL, 30GL, 15GL, 5GL, 4X1GL <b>UN-LOX</b> |





#### HERBICIDE CONCENTRATE

| Part Number | Description  |
|-------------|--|
| 816583      | A non-selective concentrated herbicide that can be applied for post-emergent or pre-emergent weed control. This product is dilutable at the rate of one part product to 10 parts oil or water and is water emulsifiable and non-corrosive to equipment. When diluted with oil, this product functions as a desiccant when applied to live vegetation. This ability to dehydrate the plant causes a quick top kill within 24 hours. In addition to an effective top kill, the treatment will be absorbed through the roots to give complete root kill. The effect will last up to a full season. This allows for the product to be used for spot treatment as well as for large area coverage. As a soil sterilant herbicide, the active ingredients will remain in the soil up to a full growing season, thereby prohibiting the growth or re-growth of weeds and other undesirable foliage. Coverage is 650 to 1000 square feet per gallon of product. It is recommended that this product be used in areas such as industrial sites, around buildings, roadways, rights-of-way, lumber yards, tank farms, cemeteries, driveways, parking lots, fence areas, recreational areas and airports. Packaging: 55GL, 35GL, 20GL, 4X1GL <b>WEED-A-CIDE</b> |

#### HERBICIDE

| Part Number | Description  |
|-------------|--|
| 816579      | Repco Kill III is designed for use in areas where all vegetation is to be killed. By using this herbicide, all the vegetation will be killed (non-selective), and control will last for one growing season (residual), avoiding costly hand weed cuttings and/or several weed killing applications. This high performance herbicide is a triple kill formula - contact kill, top kill, and root kill. The phytotoxic oil carrier combines the properties of low volatility with rapid penetration, absorption, and translocation of the active ingredients to produce rapid browning and contact kill. The insolubility of Bromacil in water maximizes effect regardless of rainfall after application or stage of growth at time of application. This product may be applied at any time of the year when weeds are growing. Plant growth will be controlled for up to one growing season, depending upon application volume and soil consistency. Packaging: 55GL, 35GL, 20GL, 4X1GL <b>REPCO-KILL III</b> |

#### WEED KILLER

| Part Number | Description  |
|-------------|--|
| 816586      | Unique and versatile, Weed-trol can be used as a general contact weed killer as well as for control of aquatic vegetation. The active ingredient, diquat dibromide, is absorbed through the leaves and there-<br>fore does not reach the root system. This product is ideal for areas where water run off may pose leaching concerns, because the product becomes inactivated in soil. As an aquatic weed killer, the product may be used to control floating weeds such as Pennywort, Salvina, Waterhyacinth, Waterlettuce, Duckweed, and Cattails. Packaging: 35GL, 20GL, 4X1GL <b>WEED-TROL</b> |





#### **BROAD LEAF WEED CONTROL**

| Part Number | Description  |
|-------------|--|
| 816587      | Designed for control of broad leaf weeds on turf, golf courses, park grounds and other similar non-crop turf areas. In addition to the thorough root kill this selective weed killer also gives a thorough top kill. This product is effective all year in cool or warm weather, but for optimum results, use should be in early spring while desirable grass is dormant and weeds are hardy. This selective weed killer is very economical because of its high dilution rate and the reduction of reseeding costs. It is best to use a separate sprayer for application of insecticides and fungicides. Packaging: 55GL, 35GL, 20GL, 4X1GL <b>C-LEX</b> |

#### LIQUID WEED KILLER

| Part Number | Description   |  |  |
|-------------|---|--|--|
| 816584      | This liquid weed killer is composed of bromacil in a phytotoxic oil. The oil carrier combines the prop-<br>erties of low volatility with rapid penetration and translocation in the plant. The insolubility of the herbi-<br>cide in water assures full effect regardless of rainfall after application or stage of growth at the time of<br>application. It produces rapid top kill of all succulent vegetation. Translocation and root absorption of<br>component herbicides produce extensive root kill of weeds and provide long term residual control. As<br>a soil sterilant type herbicide, the active ingredients will remain in the soil up to a full growing season,<br>thereby prohibiting the growth or re-growth of weeds and other undesirable foliage.<br>Packaging: 55GL, 35GL, 20GL, 4X1GL<br><b>EX-IT</b> |  |  |





## HAND CLEANERS

#### HEAVY DUTY MECHANICS HAND CLEANER

| Part Number | Size              | Description  |
|-------------|-------------------|--|
| 8140147     | 12 x 16 oz. Tubes | Gritty heavy duty formula contains pumice to help quickly clean grease, oil, paint, tar and more. Enhanced with moisturizing Aloe and nourishing Vitamin E to con-<br>dition skin. Has a clean, fresh fragrance. For use with or without water. Use with dispenser #8150777<br><b>GRITTY</b> |
| 8320615     | 4 x 2000ml        |  |

#### NATURAL CITRUS HAND CLEANER

| Part Number | Size              | Description   |
|-------------|-------------------|---|
| 8140427     | 12 x 16 oz. Tubes | Gritty Orange is our natural citrus hand cleaner with pumice to help quickly clean<br>and safely remove grease, oil, paint, ink, carbon. This product is formulated with                  |
| 8320625     | 4 x 2000ml        | a natural citrus-based solvent and is petroleum free. Gritty Orange has a refresh-<br>ing orange scent and may be used without water. Use with dispenser #8150777<br><b>GRITTY ORANGE</b> |

#### **ORANGE TOUCH**

| Part Number | Size    | Description  |
|-------------|---------|--|
| 8320425     | 4 x 1GL | Orange Touch offers gentle yet effective cleaning in a lotionized waterless cleanser without scrubbers. The formula is d-Limonene based with a natural cit-<br>rus-based solvent. This cleanser contains skin conditioners to keep your skin from getting dry. Use with or without water. Wall Bracket #8150977 Plunge Pump #8150966 |

#### **POWDERED HAND CLEANER**

| Part Number | Description  |
|-------------|--|
| 814034      | Recommended for municipal garages, factories, appliance repair shops, printers, auto repair shops, sewage plants, painters, transmission shops and more. Packaging: 325LB, 125LB <b>PALMS UP</b> |

## BULK CHEMICALS





## HAND CLEANERS

#### INDUSTRIAL HEAVY DUTY HAND SOAP

| Part Number | Description   |
|-------------|---|
| 832001      | Made exclusively of cosmetic grade synthetic detergents with glycerineretained and lanolin added so that it will be non-irritating to delicate skin. Produces a high level, long lasting foam even in hardest water. Penetrates and solubilizes toughest soil without hard scrubbing or presence of abrasives. <b>WOXON</b> is better than powders or liquids in removing grease, oil, printing ink, typewriter ribbon carbon, carbon paper smudges, mimeograph and duplicator machine inks, lipstick, shoe polishes, dyes, etc. Leaves skin soft and smooth as it cleans. Rich Sudsing. Free rinsing. Hands, body, face and hair shampoo. Biodegradable. Packaging: 55GL, 30GL, 15GL, 5GL, 4x1GL WOXON |

#### LOTION SKIN CLEANER

| Part Number | Size       | Description   |
|-------------|------------|---|
| 8320498     | 12 x 800ml | A blend of natural soaps and synthetic cleaning agents to maximize cleaning with luxurious suds. Contains emollients to leave skin soft and smooth. Formulated for medium to heavy soil removal to be used in a wide range of applications. Pleasant scent encourages frequent use. Pearlized appearance is aesthetically pleasing. Packaging: 55GL, 30GL, 5GL, 4x1GL <b>CREEMEE PINK</b> |

#### **INSTANT HAND SANITIZER**

| Part Number | Size       | Description  |
|-------------|------------|--|
| 8320508     | 12 x 800ml | Crystal-clear, ethyl alcohol-based gel that kills 99.9% of eight important organ-<br>isms in less than 15 seconds! May be used when water is unavailable. Nondrying<br>to the skin; odorless. Helps employers comply with OSHA's Bloodborne Patho-<br>gens Standard. USDA E4-listed.<br><b>SANTI-GEL</b> |

#### ANTIBACTERIAL HAND SOAP

| Part Number | Size       | Description  |
|-------------|------------|--|
| 8320488     | 12 x 800ml | Gold-colored soap featuring the superior germ-fighting power of TRICLOSAN (.3%) proven to kill a wide variety of disease-causing bacteria, viruses and fungi on contact, including MRSA and VRE. Lathers up quickly. Includes moisturizers and conditioners to soften hands and deodorizers to eliminate even the most offensive odors. USDA E-4 listed. |