

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC  
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100  
Cedar Knolls PREPARATION/REVISION DATE: 02/14/02  
NJ 07927

PREPARER/CONTACT: Gary Adams, Chemist

LOCATION : Whs 1

TRADE NAME/SYNONYMS...: GRITTY  
CHEMICAL NAME/SYNONYMS: Heavy Duty Hand Cleaner with Grit  
CHEMICAL FAMILY.....: Lotion Hand Cleaner  
FORMULA.....: Surfactant Blend  
PRODUCT CODE.....: 14-41

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

\*\*\*\*\*  
\* HEALTH..... 0 \*  
\* FLAMMABILITY.. 0 \*  
\* REACTIVITY.... 0 \*  
\* PROTECTION.... 0 \*  
\* \*  
.....

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Blend of Refined Petroleum Oils	64742-47-8 8042-47-5	35	N/A	N/A
Water	7732-18-5	40	None	None
Clay	1332-58-7	8	dust	15mg/m3
Adepsine Oil	8012-95-1	7	N/I	N/I
TEA Sulfonate	27323-41-7	3-7	N/I	N/I
Cocamide DEA	8051-30-7	3-7	N/I	N/I
Cocamidopropyl Betaine	61789-40-0	1-2	N/I	N/I
D&C Green #8	4403-90-1	<.001	N/I	N/I
Fragrance (supplier trade secret)	Mixture	<.2	N/I	N/I
Lanolin	8006-54-0	0-1	N/I	N/I

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
N/A	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA  
.....

HEALTH EFFECTS (Acute And Chronic)-  
Too frequent use can de-fat the skin leading to chapping.

PRIMARY ROUTES OF ENTRY-  
Skin.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-  
None known.

EMERGENCY FIRST AID PROCEDURES-  
If taken internally, consult physician. Skin: Use moisturizers if skin has been excessively defatted.

SECTION 4 - CHEMICAL DATA  
-----

BOILING POINT (F).....: 212	SPECIFIC GRAVITY (WATER=1).....: 0.9
VAPOR PRESSURE (mmHg): 18	PERCENT VOLATILE BY VOLUME (%),...: 81
VAPOR DENSITY (AIR=1): >1	EVAPORATION RATE (water =1): 1

SOLUBILITY IN WATER-  
Dispersible/92%.

APPEARANCE AND ODOR INFORMATION-  
Heavy Fragrant Green Cream.

SECTION 5 - PHYSICAL HAZARD DATA  
.....

FLASH POINT (Method Used): 170F.                      FLAMMABLE LIMITS : Lel=N/A    UEL=N/A

EXTINGUISHING MEDIA-  
N/A

SPECIAL FIRE FIGHTING PROCEDURES-  
N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS-  
N/A

INCOMPATIBILITY (Materials To Avoid)-  
None.

HAZARDOUS DECOMPOSITION PRODUCTS-  
Carbon dioxide and monoxide, smoke.

WILL HAZARDOUS POLYMERIZATION OCCUR-  
No.



06-03-02  
CSS-14038

MATERIAL SAFETY DATA SHEET 00119  
CHEM-POWER DIV/FOSTER & CO

PAGE 4

MAINTENANCE PRECAUTIONS-  
N/A

OTHER PRECAUTIONS-  
Store in cool dry area. KEEP OUT OF REACH OF CHILDREN!

ADDITIONAL COMMENTS-  
Shipping Name: Compound, Cleaning. Class 55.