

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100
Cedar Knolls PREPARATION/REVISION DATE: 02/14/02
NJ 07927
PREPARER/CONTACT: Gary Adams, Chemist
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: LEKTRIX 102 (Aerosol)
CHEMICAL NAME/SYNONYMS: Safety Solvent, Contact Cleaner
CHEMICAL FAMILY.....: HCFC Base
FORMULA.....: Mixture
PRODUCT CODE.....: 19-02

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

* * * * *
* HEALTH..... 1 *
* FLAMMABILITY.. 0 *
* REACTIVITY.... 0 *
* PROTECTION.... 0 *
* * * * *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	8	PEL-OSHA	TLV-ACGIH
Dichlorofluoroethane	1717-00-6	50-90	1000ppm	1000ppm
Isopropanol	67-63-0	5-20	400 ppm	400 ppm
Carbon Dioxide	124-38-9	2-4	1000ppm	1000ppm

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
N/A	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-
INHALATION: N/I.
EYE CONTACT: May cause eye irritation/conjunctivitis.
SKIN CONTACT: Irritation may occur.
INGESTION: Unlikely.
ACUTE EFFECTS (Effects due to excessive exposure to the raw materials of this mixture): Light-headedness, shortness of breath, possible narcosis and/or arrhythmias.
CHRONIC EFFECTS (Long term effects): None known.

This product is of a very low order of hazard and injury other than transient eye irritation is highly unlikely during any broad definition of "normal" use.

PRIMARY ROUTES OF ENTRY-
Skin, eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-
Individual reactions to fragrances are possible.

EMERGENCY FIRST AID PROCEDURES-
EYE CONTACT: Flush with water for 15 minutes. If irritated, call physician.
SKIN CONTACT: Wash with soap and water if irritation occurs, call physician.
INHALATION: Move to fresh air. Maintain respiration by mouth to mouth or give oxygen. Get medical attention.
INGESTION: (Unlikely) Call physician or poison control center.

SECTION 4 - CHEMICAL DATA

.....

BOILING POINT (F).....: 89.6 F	SPECIFIC GRAVITY (WATER=1).....: 1.23
VAPOR PRESSURE (mmHg): 45psig	PERCENT VOLATILE BY VOLUME (%),.....: 100
VAPOR DENSITY (AIR=1): 4.0	EVAPORATION RATE (N-Butyl Acetate =1): <1

SOLUBILITY IN WATER-
0.02 %, VOC content 5%.

APPEARANCE AND ODOR INFORMATION-
Colorless water-white solvent with slight ethereal odor.

SECTION 5 - PHYSICAL HAZARD DATA

.....

FLASH POINT (Method Used): None, TCC FLAMMABLE LIMITS : Lel=N/A UEL=N/A

EXTINGUISHING MEDIA-
Any convenient.

SPECIAL FIRE FIGHTING PROCEDURES-
Use self-contained breathing apparatus in any confined area. Keep containers cool with water spray and use shielding to prevent injury by bursting cans.

UNUSUAL FIRE AND EXPLOSION HAZARDS-
Do not expose aerosols to temperatures above 130F or the container may rupture explosively. Non-Flammable by CPSC Flame Extension test.

INCOMPATIBILITY (Materials To Avoid)-
None known.

HAZARDOUS DECOMPOSITION PRODUCTS-
In flame, can give off toxic chloride and fluoride gases.
phosgene and chlorine formed upon combustion.

WILL HAZARDOUS POLYMERIZATION OCCUR-
No.

CONDITIONS TO AVOID FOR POLYMERIZATION-
None known.

IS THE PRODUCT STABLE-
Stable but contents are under pressure.

CONDITIONS TO AVOID FOR STABILITY-
None known.

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-
Maintain proper ventilation. Allow spill to evaporate. Large spills unlikely since this is an aerosol.

WASTE DISPOSAL METHODS-
Evacuate to atmospheric pressure, wrap in paper and discard in trash. Consult Federal, State and Local authorities for disposal of any full containers.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION-
LOCAL EXHAUST: Area Fan. MECHANICAL (General): Do not exceed TLV.
SPECIAL... . . . : N/A OTHER..... : N/A

RESPIRATORY PROTECTION-
Not normally needed.

PROTECTIVE GLOVES-
Neoprene, polyethethylene, butyl.

OTHER PROTECTIVE EQUIPMENT-
Splash-proof goggles, eyewash station is useful.

OTHER ENGINEERING CONTROLS-
N/A

WORK PRACTICES-
Clean up with soap and water.

HYGIENIC PRACTICES-
N/I
Remove contaminated clothing and launder before reuse.

SECTION 8 - SPECIAL PRECAUTIONS
.....

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-
Vapor heavier than air. Therefore, be sure to maintain ventilation in pits and other low areas as vapors may accumulate in hazardous concentrations.

06-03-02
CSS-14038

MATERIAL SAFETY DATA SHEET 00087
CHEM-POWER DIV/FOSTER & CO

PAGE 4

MAINTENANCE PRECAUTIONS-
N/I

OTHER PRECAUTIONS-
Train employees to follow directions. Do not puncture or incinerate cans.
Do not store above 120F. KEEP OUT OF REACH OF CHILDREN.

ADDITIONAL COMMENTS-
Shipping Name: Consumer Commodity ORM-D. Warning: Contents under pressure.
NOT SUITABLE FOR AIR TRANSPORT.