

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100
Cedar Knolls PREPARATION/REVISION DATE: 02/14/02
NJ 07927
PREPARER/CONTACT: Gary Adams, Chemist
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: NO-STICK II
CHEMICAL NAME/SYNONYMS: Asphalt Release Agent
CHEMICAL FAMILY.....: Surfactant Solution
FORMULA.....: Mixture
PRODUCT CODE.....: 17-80

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

*
* HEALTH..... 0 *
* FLAMMABILITY.. 0 *
* REACTIVITY.... 0 *
* PROTECTION.... B *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

| CHEMICAL/COMMON NAME | CAS-NUMBER | % | PEL-OSHA | TLV-ACGIH |
|----------------------|------------|------|----------|-----------|
| Oleamine Oxide | 14351-50-9 | N/I | None est | None est |
| Ethanol (denatured) | 64-17-5 | N/I | 1000 ppm | 1000 ppm |
| Water | 7732-18-5 | N/I | None | None |
| Hydrogen Peroxide | 7722-84-1 | <0.1 | 1 PPm | 1 PPm |

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

| CHEMICAL/COMMON NAME | CAS-NUMBER | % | NTP | IARC | OSHA |
|----------------------|------------|-----|-----|------|------|
| N/A | N/A | N/A | N/A | N/A | N/A |

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-
This product is very low in hazards from all means of exposure.
SKIN: Severe overexposure could cause dry skin dermatitis.
INGESTION: Nausea, indigestion, vomiting.
EYES: Mild irritant
INHALATION: Overexposure to mists could cause irritation to respiratory tract.

PRIMARY ROUTES OF ENTRY-
Skin, eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-
NIL

EMERGENCY FIRST AID PROCEDURES-

EYES & SKIN: Flush with water for 15 minutes. Call physician if irritation persists.

INGESTION: Do not induce vomiting. If conscious, give large amount of milk or water and call physician/ poison center immediately.

SECTION 4 - CHEMICAL DATA

| | |
|-----------------------------|---------------------------------------|
| BOILING POINT (F).....: 212 | SPECIFIC GRAVITY (WATER=1).....: 0.99 |
| VAPOR PRESSURE (mmHg): N/I | PERCENT VOLATILE BY VOLUME (%): N/I |
| VAPOR DENSITY (AIR=1): N/I | EVAPORATION RATE (water =1): < 1 |

SOLUBILITY IN WATER-
Complete.

APPEARANCE AND ODOR INFORMATION-

Semi-clear, viscous liquid with oleate odor.

SECTION 5 - PHYSICAL HAZARD DATA

FLASH POINT (Method Used): None FLAMMABLE LIMITS : Lel=N/A UEL=N/A

EXTINGUISHING MEDIA-

Alcohol foam, CO2, dry chemical. water fog.

SPECIAL FIRE FIGHTING PROCEDURES-

N/I

Keep containers cool to prevent explosion.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

Residue after evaporation is combustible.

INCOMPATIBILITY (Materials To Avoid)-

Acids, strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS-

None known.

WILL HAZARDOUS POLYMERIZATION OCCUR-

No.

CONDITIONS TO AVOID FOR POLYMERIZATION-

None known.

IS THE PRODUCT STABLE-

Yes.

CONDITIONS TO AVOID FOR STABILITY-
None known.

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-
Spills are slippery. Dike and soak up with suitable absorbent. Flush residue with water to sewer. Prevent contamination of ground water.

WASTE DISPOSAL METHODS-
Consult local authorities.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION-

LOCAL EXHAUST: N/A
SPECIAL.....: N/A

MECHANICAL (General): Maintain TLV
OTHER.....: N/A

RESPIRATORY PROTECTION-

Not normally needed, NOISH approved if necessary.

PROTECTIVE GLOVES-

Rubber, latex or other impervious material.

OTHER PROTECTIVE EQUIPMENT-

Splashproof goggles.

OTHER ENGINEERING CONTROLS-

N/A

WORK PRACTICES-

N/I

HYGIENIC PRACTICES-

Wash hands before eating or using lavatory facilities.

SECTION 8 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-

Keep from repeated freeze-thaw cycles.

MAINTENANCE PRECAUTIONS-

Keep from freezing.

OTHER PRECAUTIONS-

KEEP OUT OF REACH OF CHILDREN!

ADDITIONAL COMMENTS-

Shipping Name: Compound, Cleaning, Liquid, Class 55.