

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : HENKEL CORPORATION/ FOSTER AND COMPANY, DISTRIBUTOR
South Kensington Rd EMERGENCY PHONE.....: 815-932-6751
P.O. Box 191 PREPARATION/REVISION DATE: 02/14/02
Kankakee, Illinois 60901-0191
PREPARER/CONTACT: D.Kimberlin/Emergency 24 hr 800-424-9300
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: OMNIFIT PIPEGRIP #790
CHEMICAL NAME/SYNONYMS: ANEROBIC PIPE SEALER
CHEMICAL FAMILY.....: Anaerobic Adhesives
FORMULA..... Mixture
PRODUCT CODE.....: 514-204

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

* * * * *
* HEALTH..... 2 *
* FLAMMABILITY.. 2 *
* REACTIVITY.... 1 *
* PROTECTION.... B *
* * * * *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Organic Peroxide	N/I	2 +/-	N/I	N/I

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
None listed.	N/A	N/A	N/A	N/A	M/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-
CHRONIC: None expected. No target organ effects known or exposure limit estab.
ACUTE: SKIN AND EYE CONTACT: Considered to be non-irritating to eyes and skin from animal tests. However, dermatitis may occur from prolonged skin contact. May cause transient irritation if splashed into the eye.
INHALATION: NO adverse health effects are known.
ORAL INGESTION: Considered practically non-toxic from results of animal tests. Oral toxicity: >5 g/kg est LD50 rat.
Skin irritation index: 0.3 on scale 0-8 on rabbit.

PRIMARY ROUTES OF ENTRY-
Skin contact, eye contact, inhalation

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-
None known.

EMERGENCY FIRST AID PROCEDURES-

SKIN: Wash thoroughly with soap and water after skin contact.

EYES: Flush thoroughly with lukewarm or tepid water for at least 15 minutes.

Call physician.

INHALATION: Move to fresh air. If irritation persists consult physician. It is unlikely that the small containers provided could supply enough material to cause an inhalation injury.

INGESTION: Do not induce vomiting. Call physician or poison control center.

SECTION 4 - CHEMICAL DATA

.....

BOILING POINT (F).....: N/A

VAPOR PRESSURE (mmHg): 0

VAPOR DENSITY (AIR=1): N/A

SPECIFIC GRAVITY (WATER=1).....: 1.03

PERCENT VOLATILE BY VOLUME (%)......: 0 @70F

EVAPORATION RATE (N/A =1): N/A

SOLUBILITY IN WATER-

Slightly miscible.

APPEARANCE AND ODOR INFORMATION-

White paste with slight acrylic odor.

SECTION 5 - PHYSICAL HAZARD DATA

.....

FLASH POINT (Method Used): >200 TCC

FLAMMABLE LIMITS : Lel=N/I UEL=N/I

EXTINGUISHING MEDIA-

Water, CO2, Foam or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES-

Wear full protective equipment including self-contained breathing apparatus.

Cool containers to prevent pressure build-up.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

Heating may cause polymerization. Pressure build-up may occur with possible rupture of container.

INCOMPATIBILITY (Materials To Avoid)-

Bases.

HAZARDOUS DECOMPOSITION PRODUCTS-

Irritating gases are released during combustion.

WILL HAZARDOUS POLYMERIZATION OCCUR-

Will not occur.

07-08-02
CSS-14038

MATERIAL SAFETY DATA SHEET 00276
CHEM-POWER DIV/FOSTER & CO

PAGE 4

MAINTENANCE PRECAUTIONS-
N/A

OTHER PRECAUTIONS-
Keep out of reach of children!

ADDITIONAL COMMENTS-
Unregulated by DOT.