

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC  
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100  
Cedar Knolls PREPARATION/REVISION DATE: 02/15/02  
NJ 07927  
PREPARER/CONTACT: Gary Adams, Chemist  
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: TIRE AND VINYL SHINER  
CHEMICAL NAME/SYNONYMS: Silicone/Wax Polish  
CHEMICAL FAMILY.....: Emulsion  
FORMULA.....: Silicone Polymer Emulsion  
PRODUCT CODE.....: 38-99

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

\*\*\*\*\*  
\*  
\* HEALTH..... 0 \*  
\* FLAMMABILITY.. 0 \*  
\* REACTIVITY.... 0 \*  
\* PROTECTION.... B \*  
\*\*\*\*\*

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Water	7732-18-5	>60	N/I	N/I
Dimethylpolysiloxane	63148-62-9	6-18	N/I	N/I
Silicon dioxide	7631-86-9	0-5	as dust	5 mg/m3
Carboxymethyl cellulose	9004-32-4	0-5	as dust	5 mg/m3
Polyoxyethylene stearate	9004-99-3	0-5	N/I	N/I
Sorbitan monostearate	1338-41-6	0-5	N/I	N/I
Methyl parabens	99-76-3	<0.1	N/I	N/I
Propyl parabens	94-13-3	<0.1	N/I	N/I

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
None listed	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-  
Minor eye irritation possible.

PRIMARY ROUTES OF ENTRY-  
Eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-  
None known.

EMERGENCY FIRST AID PROCEDURES-

In case of eye contact, flush with water for 15 minutes. Call physician if any irritation persists.  
If swallowed: Consult physician.

SECTION 4 - CHEMICAL DATA

BOILING POINT (F).....: 212	SPECIFIC GRAVITY (WATER=1).....: 1.01
VAPOR PRESSURE (mmHg): 24	PERCENT VOLATILE BY VOLUME (%): >90
VAPOR DENSITY (AIR=1): N/A	EVAPORATION RATE (water =1): 1

SOLUBILITY IN WATER-  
Appreciable.

APPEARANCE AND ODOR INFORMATION-

White liquid, slight odor of sorbic acid.

SECTION 5 - PHYSICAL HAZARD DATA

FLASH POINT (Method Used): None to 400      FLAMMABLE LIMITS : Lel=N/A      UEL=N/A

EXTINGUISHING MEDIA-

Any. This product will not burn under normal conditions.

SPECIAL FIRE FIGHTING PROCEDURES-

None known necessary.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

None known.

INCOMPATIBILITY (Materials To Avoid)-

None known.

HAZARDOUS DECOMPOSITION PRODUCTS-

In a fire, Silicone Dioxide (limited hazard).

WILL HAZARDOUS POLYMERIZATION OCCUR-

No.

CONDITIONS TO AVOID FOR POLYMERIZATION-

None known.

IS THE PRODUCT STABLE-

Yes.

CONDITIONS TO AVOID FOR STABILITY-  
None known.

SECTION 6 - SPILL OR LEAK PROCEDURES  
-----

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-  
Dike and contain. Be careful to avoid slipping. Soak up and absorb with  
a suitable absorbent. Flush with water.

WASTE DISPOSAL METHODS-  
Consult Federal, State or local authorities. This material is not considered  
a hazardous waste by RCRA.

SECTION 7 - EXPOSURE CONTROL INFORMATION  
-----

VENTILATION-  
LOCAL EXHAUST: None needed. MECHANICAL (General): None needed.  
SPECIAL.....: N/A OTHER.....: N/A

RESPIRATORY PROTECTION-  
None needed.

PROTECTIVE GLOVES-  
Rubber for repeated or prolonged use.

OTHER PROTECTIVE EQUIPMENT-  
Not normally necessary.

OTHER ENGINEERING CONTROLS-  
N/I

WORK PRACTICES-  
N/A.

HYGIENIC PRACTICES-  
N/I

SECTION 8 - SPECIAL PRECAUTIONS  
-----

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-  
Keep from freezing. Keep containers closed.

MAINTENANCE PRECAUTIONS-  
N/A

OTHER PRECAUTIONS-  
KEEP OUT OF REACH OF CHILDREN!

07-25-02  
CSS-14038

MATERIAL SAFETY DATA SHEET 00335  
CHEM-POWER DIV/FOSTER & CO

PAGE 4

ADDITIONAL COMMENTS-

Shipping Name: Compound, Cleaning, Class 55.