

Mold Zapper Safety Data Sheet 8170788 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/06/2015

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: Mold Zapper
Product code	: 8170788
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
Use of the substance/mixture	: Mold and Mildew Remover
1.3. Details of the supplier of the safety	data sheet
FOSTER & CO. 15 WING DRIVE CEDER KNOLLS, NJ 07927 T 973-267-4100 - F 973-267-9842	
1.4. Emergency telephone number	
Emergency number	: CHEM TEL 800-255-3924
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	nixture
GHS-US classification	
Met. Corr. 1	H290
Skin Irrit. 2	H315
Eye Dam. 1	H318
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	
	GHS05
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: May be corrosive to metals Causes skin irritation Causes serious eye damage
Precautionary statements (GHS-US)	: Keep only in original container
	Wash hands, forearms and face thoroughly after handling
	Wear eye protection, protective gloves If on skin: Wash with plenty of water
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing
	Immediately call a doctor, a POISON CENTER Specific treatment (see FIRST AID SECTION. on this label)
	If skin irritation occurs: Get medical advice/attention
	Take off contaminated clothing and wash before reuse
	Absorb spillage to prevent material damage
2.3. Other hazards	
Other hazards not contributing to the classification	: None under normal conditions.
2.4. Unknown acute toxicity (GHS-US)	

Mold Zapper

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
sodium hypochlorite, solutions, conc available chlorine ${<}5\%$	(CAS No) 7681-52-9	4 - 6	Skin Corr. 1B, H314 Aguatic Acute 1, H400

Full text of H-phrases: see section 16

Full lext of H-phrases, see section 16	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Consult a doctor/medical service. Get medical advice/attention. Specific treatment (see FIRST AID SECTION. on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Coughing. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
0 0	-
5.2. Special hazards arising from the su	
Reactivity	: Decomposes on exposure to temperature rise: release of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	isures
	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
	· Evaluate unitelessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti-	fy authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

Mold Zapper Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work thoroughly after handling.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Mold Zapper		
ACGIH	Not applicable	
OSHA	Not applicable	
sodium hypochlorite, solutions, conc available chlorine <5% (7681-52-9)		
ACGIH	Not applicable	
OSHA	Not applicable	

m

8.2. **Exposure controls**

Personal protective equipment

: Safety glasses. Gloves.

Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

hemical properties
: Liquid
: Colourless to light yellow
: characteristic chlorine-like
: No data available
: 11 - 13
: No data available

Mold Zapper Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Decomposes on exposure to temperature rise: r	elease of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatu	res.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	3
Thermal decomposition generates : Chlorine. Co	orrosive vapours. Carbon monoxide. Carbon dioxide.
SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
	рН: 11 - 13
Serious eye damage/irritation	: Causes serious eye damage.
	рН: 11 - 13
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
sodium hypochlorite, solutions, conc availa	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Coughing. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.

Mold Zapper Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
2.2. Persistence and degradability	
Mold Zapper	
Persistence and degradability	Not established.
sodium hypochlorite, solutions, conc availab	ble chlorine <5% (7681-52-9)
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
Mold Zapper	
Bioaccumulative potential	Not established.
sodium hypochlorite, solutions, conc availab	ble chlorine <5% (7681-52-9)
Bioaccumulative potential	Not bioaccumulative. Not established.
12.4. Mobility in soil	
sodium hypochlorite, solutions, conc availab	ble chlorine <5% (7681-52-9)
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
	: Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods	
13.1. Waste treatment methods Waste disposal recommendations Image: Commendation state	: Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials	: Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information	: Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT)	: Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
I3.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions 8 - Class 8 - Corrosive material 49 CFR 173.136
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions 8 - Class 8 - Corrosive material 49 CFR 173.136 8 - Corrosive
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions 8 - Class 8 - Corrosive material 49 CFR 173.136 8 - Corrosive
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions 8 - Class 8 - Corrosive material 49 CFR 173.136 8 - Corrosive LTD QTY - Limited quantity
13.1. Waste treatment methods Waste disposal recommendations Ecology - waste materials SECTION 14: Transport information Department of Transportation (DOT) n accordance with DOT Transport document description JN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. UN1791 Hypochlorite solutions, 8, II UN1791 Hypochlorite solutions 8 - Class 8 - Corrosive material 49 CFR 173.136 8 - Corrosive LTD QTY - Limited quantity Imited quant

Mold Zapper

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.	
DOT Vessel Stowage Other	: 26 - Stow "away from" acids	
Additional information		
Emergency Response Guide (ERG) Number	: 154	
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: 1791	
Proper Shipping Name (IMDG)	: HYPOCHLORITE SOLUTION	
Class (IMDG)	: 8 - Corrosive substances	
Packing group (IMDG)	: II - substances presenting medium danger	
Air transport		
UN-No. (IATA)	: 1791	
Proper Shipping Name (IATA)	: Hypochlorite solution	
Class (IATA)	: 8 - Corrosives	
Packing group (IATA)	: II - Medium Danger	
SECTION 15: Regulatory informat	ion	
15.1. US Federal regulations		
Mold Zapper		
Listed on the United States TSCA (Toxic St Not listed on the United States SARA Section		
RQ (Reportable quantity, section 304 of EP	A's List of Lists) 100 lb	
All components of this product are listed, or Substances Control Act (TSCA) inventory	excluded from listing, on the United States Environmental Protection Agency Toxic	
This product or mixture does not contain a t	oxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

sodium hypochlorite, solutions, conc available chlorine <5% (7681-52-9)		
100 lb		

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

National regulations

No additional information available

Mold Zapper Safety Data Sheet

3.3. US State regulations			
/lold Zapper()			
State or local regulations		U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List	
California Proposition 65 - This pr and/or reproductive harm		ances known to the state of California to cause cancer	
J.S New Jersey - Right to Know J.S Pennsylvania - RTK (Right to	Hazardous Substance List		
ECTION 16: Other informa	tion		
her information	: None.		
Ill text of H-phrases: Aquatic Acute 1		Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1		Serious eve damage/eve irritation, Category 1	
Met. Corr. 1		Corrosive to metals, Category 1	
Skin Corr. 1B		Skin corrosion/irritation, Category 1B	
Skin Irrit. 2		Skin corrosion/irritation, Category 2	
H290		May be corrosive to metals	
H314		Causes severe skin burns and eye damage	
H315		Causes skin irritation	
H318		Causes serious eye damage	
H400		Very toxic to aquatic life	
PA health hazard		inued exposure could cause temporary ossible residual injury unless prompt s given.	
PA fire hazard	: 0 - Materials that will not burn.		
PA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.		
AIS III Rating			
ealth	: 2 Moderate Hazar	: 2 Moderate Hazard - Temporary or minor injury may occur	
ammability	: 0 Minimal Hazard	: 0 Minimal Hazard - Materials that will not burn	
nysical	temperatures an hazardous polyme	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.	
ersonal Protection	: B		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product